


## ADIT TANGENT - PERFORERINGSDATA


### PERFORERINGSDETALJER

Perforeringstype	Tangent - 4x14 mm ovale huller
Perforeringsprocent	24,5 %
Perforeringsmønster	T1



### ABSORPTIONSKOEFFICIENTER

Frekvens (Hz)	125	250	500	1000	2000	4000
$\alpha_p$	0,25	0,65	0,90	0,90	0,85	0,80



Ved 55 mm og med 33 mm mineraluld