



Knauf Shadowline PVC Bead

PVC Shadowline bead (trim) is preferred especially for aesthetic drywall finishing and it is used to create a shadow line which minimizes building imperfections.

Product Description

Rigid PVC shadowline bead applied onto installed gypsum wallboards to provide relief and avoidance of cracks between wall and ceiling. The wing has perforations to provide the necessary 'keying' for the thin-coat plasters and/or joint fillers.

Fields of Application

Used internally on Gypsum Wallboard, fixed between wall and wallboard ceiling to create a shadowline. Thin-coat plasters and/or joint fillers can be applied to provide clean and tidy finishes. The 20 mm visible part of the bead can be reduced with a cutter to obtain a 15, 10 or 5 mm shadowline.

The shadowline bead can be clipped on to the gypsum board or mechanically fixed on to the Gypsum Wallboard using non-corrosive fixings. The shadowline bead can be fixed either vertically or horizontally.

Technical Data

Fire

- The rigid PVC material will not support combustion and is self-extinguishing.
- PVC softening point.....80°C
- Charpy Impact Strength.....12 KJ/m²
- Co-efficient of Thermal Expansion...6x10⁻⁵ /°C

Dimensions

- Standard Length of 3000 mm


Packaging

- Cartons with 25 pieces of 3000 mm

Material

The rigid PVC, in white colour, is 100% recycled PVC. The PVC material is durable, made of PVC (external grade) and high impact, and obviously corrosion resistant. The PVC material provides excellent keying for paints. If necessary, the control joint can be used externally.

Section Details



Note:

.....

.....

.....

Please contact our sales department for inquiries about storage and packing.

Material Code: 403466

Knauf Head Office	Knauf Qatar Branch	Knauf Manufacturing Plant	 Made in UAE
▶ Phone: +971 4 337 7170	P.O.Box 27111 Doha, State of Qatar	P.O.Box 50006 Rad Al Khaimah, U.A.E.	
▶ Fax: +971 4 334 9659	Tel: +974 4452 8191	Tel: +971 7 221 5300	
▶ P.O.Box: 112871, Dubai	Fax: +974 4452 8181	Fax: +971 7 221 5301	
▶ info@knauf.ae			
The information provided in this leaflet is only intended to give guidance in selecting and using Knauf products. While we make every effort to ensure its accuracy, neither Knauf LLC and its branches nor any of its employees or affiliates warrant or assume any legal liability or responsibility for the completeness or usefulness of any failure in installation or constructing any structure installation or building or caused by using this leaflet. Readers are advised to independently verify this information prior to rely on it. In particular, readers must obtain appropriate independent advice on the use of products in specific structures, insulations or buildings to ensure compliance with all regulations, including health and safety regulations. Knauf reserves the right to amend technical specification without notice.			
www.knauf.ae			The constructional and structural properties, and characteristic building physics Knauf system can solely be ensured with the exclusive use Knauf system components, or other product expressly recommended by Knauf.