


Knauf T24 Wall Angle

Technical Data Sheet 12/2023



Knauf T24 Wall Angle

Profile

Product Description

Components used at perimeter of modular suspended ceilings.

Storage

- Profiles are tied and packed on pallets.
- Direct contact with water should be avoided.
- Packages should be stored in flat, dry and clean areas.

Standard referred to

-

Fields of Application

- Modular suspended ceiling systems

Properties

- Clean and easy installation

Technical Data

Profile Type		Thickness (mm)	Weight (kg/m)	Width (mm)	Height (mm)	Length (mm)	Packaging (pcs./bundle)
Knauf T24 Wall Angle	L	0,4	0,102	19	19	3050	80
	Z	0,5	0,242	28x8x5x15	-		40

System Performance Values

Performance values as sound insulation, fire resistance etc. may differ acc. to the drywall system to be applied. Please check the performance values of the drywall systems;

[Knauf Technical Website](#)
[Document Center](#)

Application

Application should be done acc. to the applicable standards and acc. to the Knauf Technical Brochures of the respective drywall system.

▶ 444 YAPI - 9274

▶ www.knauf.com.tr / www.teknik.knauf.com.tr

▶ teknik@knauf.com

Center: Knauf Moment Beştepe Office, Beştepe Mah. 32.Cadde No:1/212-218 06560 Beştepe-Yenimahalle
/ ANKARA Tel: 0312 297 0100 Faks: 0312 266 4506