


# **USGKnauf Shadow Line Wall Angle - 3050mm**

## USGKnauf Shadow Line Wall Angle



### Description:

#### Product code: 1112326016

USGKnauf Shadow Line Wall Angle is an integral part of USGKnauf Suspended Grid ceiling. Shadow Line Wall Angle is used to fix at the periphery of the brick wall / Drywall to the receiving end of Main T Grid on top. This acts as the frame for the false ceiling. Shadow Line Wall Angle helps to make the groove effect at periphery of the ceiling.


These are rolled formed on specially designed automatic machines.

### Product properties:


Description	Unit	Specification
Flange (A)	mm	10 (+/- 0.5)
Flange (B)	mm	10 (+/- 0.5)
Flange (C)	mm	10 (+/- 0.5)
Flange (D)	mm	15 (+/- 0.5)
Standard length (F)	mm	3050 (+/- 1)
Thickness (E)	mm	0.40 (+/- 0.02)
Galvanizing	GSM	90 to 100 GSM (Both side inclusive)
Pre-coated material- thickness	mm	0.40mm (+/- 0.02)

\*For actual results, batch MTC shall be referred.

## Drawing:



## Grid ceiling 15mm framing layout:



## Safety:

While handling & cutting of Shadow Line Wall Angle, please adhere to the safety guidelines & wear the essential PPE.

### Knauf India Private Limited

(Erstwhile USG Boral Building Products (India) Private Limited.)

**Head Office:** Unit No. 610-613, Sixth Floor,  
Vipul Trade Centre, Sohna-Gurugram Road,  
Sector-48, Gurugram -122001, Haryana, India

**Customer Care No:** +91 - 9015147147

**Email:** info.india@knauf.com

[www.usgknauf.com](http://www.usgknauf.com)