

KNAUF

Knauf Jackpoint Screws

Knauf Jackpoint Screws are self drilling carbon steel screws with black phosphate coating, the bugle head gives versatility of application and a flush counter sunk finish with no paper tearing.

Product-Data-Sheet



Areas of Application

Fixing plasterboard to metal frames up to a gauge of 2.5mm.

Compliance Standards

EN 14566: 2009 & A1 2009

Key Benefits

- Black phosphate coated
- Thread insures clean, smooth, low torque instillation
- Self drilling tip
- PH2 head
- Carbon steel

Build on us.

Creation Date: 08/06/2023
Revision Reference: 002
Revision Date: 15/01/2025

Performance Data

Reaction to Fire (R2F)	Steel Thickness (mm)	Ultimate Pull Out Values (kN)	Ultimate Tensile Strength (kN)	Ultimate Shear Strength (kN)
A1	1.2	1.5	7.3	5
A1	1.6	2.0	7.3	5
A1	2.5	4.0	7.3	5

Technical Information

Length (mm)	Nominal Diameter (mm)	Type	Coating Type	Material Grade	Material Grade	Material Number
25	3.5	Loose	Black Phosphate	ASIS C1022 carbon steel	ASIS C1022 carbon steel	258318
35	3.5	Loose	Black Phosphate	ASIS C1022 carbon steel	ASIS C1022 carbon steel	258319
42	3.5	Loose	Black Phosphate	ASIS C1022 carbon steel	ASIS C1022 carbon steel	258320
55	3.5	Loose	Black Phosphate	ASIS C1022 carbon steel	ASIS C1022 carbon steel	258321
35	3.5	Collated	Black Phosphate	ASIS C1022 carbon steel	ASIS C1022 carbon steel	835056
42	3.5	Collated	Black Phosphate	ASIS C1022 carbon steel	ASIS C1022 carbon steel	835086

Sustainability

Recyclability

Fully recyclable

Storage and Handling

Store in dry conditions.

Packaging

Cardboard box in outer cardboard carton.

Disposal/Repair

Disposal should be in accordance with local authority requirements.

Application / Installation

Designed for fixing plasterboard to metal substrates in Knauf partition systems.

Do not use impact guns, over torquing will break or damage screw, heads and threads.

Additional Documentation

Declaration of Performance UKCA

Declaration of Performance CE

Product Accreditations:



Knauf UK GmbH Company Accreditations:



The information given in this publication is believed to be current and accurate as at the date of publication, but no warranty, express or implied is given. Updates will not be automatically issued © Copyright Knauf 2024

Customer Service

UK Tel: 0800 521 050
Eire Tel: 01 4620739
Email: cservice@knauf.com

Technical Service

Tel: 0800 521050 (option 2)
Email: technical-uk@knauf.com
(excluding public holidays)

UK Address

Knauf
Kemsley Fields Business Park
Sittingbourne
Kent ME9 8SR

Ireland Address

Knauf
87 Broomhill Road
Tallaght
Dublin 24
D24 WR85

Creation Date: 08/06/2023
Revision Reference: 002
Revision Date: 15/01/2025