



PSB Singapore

CERTIFICATE OF CONFORMITY

No. CLS2 089665 0005 Rev. 00

Initial No. -

Certificate Holder: KNAUF INSULATION SDN. BHD.
Lot 157, Jalan Teruntum 4
Tanjung Langsat Industrial Complex
81700 Pasir Gudang Johor
MALAYSIA

UEN - 201401006359 (1082442-W)

Local Representative: KNAUF INSULATION PTE. LTD.
1 Yishun Industrial Street 1, #05-34, A'Posh Bizhub, Singapore
768160, SINGAPORE

UEN - 201510286R

Product: Thermal Insulation Materials

Brand Name: Knauf Insulation

Model(s): Knauf Insulation GMW Unfaced

Product Details: Rating: Class 0
Thickness: 25mm
Bulk Density: 32kg/m³
Tested on the either face

Standard(s): BS 476-6:1989/A1:2009
BS 476-7:1997

Country of Origin: Malaysia

Test Report(s): 7191316959-MEC23/E1-YWA & 7191316959-MEC23/E2-YWA

Valid until: 2029-02-07

Page 1 of 1

Issued on: 2024-02-08

Vice-President (Certification Department)
TÜV SÜD PSB



This Certificate is the property of TÜV SÜD PSB Pte Ltd. Reports listed in this certificate is an integral part of the certificate and should be read in conjunction with it. The use of this Certificate is subjected to TÜV SÜD Group Testing and Certification Regulations; TÜV SÜD PSB Pte Ltd (PSB) General Terms and Conditions of Business and PSB Product Listing Scheme (PLS) Application Fact Sheet. The manufacturer is solely responsible for compliance of any product that has the same designation as the product type-tested. Persons relying on this Certificate should verify its validity by checking the e-directory: www.tuvsud.com/ps-cert. For more information on TÜV SÜD PSB Pte Ltd product certification: www.tuvsud.com/sg