



**DECLARATION OF PERFORMANCE**  
**No: 0253\_Knauf\_Cleaneo®\_SK\_6/18\_D\_2019.03.01**

(1) Unique identification code of the product-type:

**12,5 - Knauf Cleaneo SK 6/18 D - a/c/g**

(2) Intended use/es:

**Gypsum plasterboard products from reprocessing in general building**

(3) Manufacturer:

**KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,**  
**Üniversiteler Mah. 1598 Cad. No:16 06800 Çankaya Ankara TR**  
**Tel: +90 312 297 0100, Faks: +90 312 266 421 www.knauf.com.tr, e-posta: info@knauf.com.tr**  
**İzmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye**

(5) Systems/s of AVCP:

**System 3-4**

(6a) Harmonized standard: **EN 14190:2014**

Notified body/ies:

**The testing of the reaction to fire (Classification report No: 303370 06-16) TURKISH STANDARDS INSTITUTION (TSE) İzmir/Turkey (NB:1783).**

(7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Shear Strength Per Fastener - $\uparrow\downarrow$	NPD	EN 14190:2014
Reaction to fire – R2F	A2-s1,d0 (C.4)	EN 14190:2014
Water Vapour Permeability - $\mu$	NPD	EN 14190:2014
Stability of ceiling elements - $\downarrow$	NPD	EN 14190:2014
Flexural Strength - F	Karşılar / Pass	EN 14190:2014
Thermal Conductivity - $\lambda$	0,23 W/(m.K) (EN 10456)	EN 14190:2014
Dangerous Substances – DS	NPD	EN 14190:2014
Direct airborne sound insulation - R	See manufacturers literature <a href="http://www.knauf.com.tr">www.knauf.com.tr</a>	EN 14190:2014
Impact resistance - $\rightarrow $		EN 14190:2014
Acoustic absorption - $\alpha$		EN 14190:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER  
(General Manager)  
Ankara - 01.03.2019

(signature)



## DECLARATION OF PERFORMANCE

No: 0253\_Knauf\_Cleaneo®\_SK\_8/12/50\_D\_2019.03.01

(1) Unique identification code of the product-type:

12,5 - Knauf Cleaneo SK 8/12/50 D - a/c/g

(2) Intended use/es:

Gypsum plasterboard products from reprocessing in general building

(3) Manufacturer:

KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,

Üniversiteler Mah. 1598 Cad. No:16 06800 Çankaya Ankara TR

Tel: +90 312 297 0100, Faks: +90 312 266 421 www.knauf.com.tr, e-posta: info@knauf.com.tr

İzmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye

(5) Systems/s of AVCP:

System 3-4

(6a) Harmonized standard: EN 14190:2014

Notified body/ies:

The testing of the reaction to fire (Classification report No: 303370 06-16) TURKISH STANDARDS INSTITUTION (TSE) İzmir/Turkey (NB:1783).

(7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Shear Strength Per Fastener - $\uparrow\downarrow$	NPD	EN 14190:2014
Reaction to fire – R2F	A2-s1,d0 (C.4)	EN 14190:2014
Water Vapour Permeability - $\mu$	NPD	EN 14190:2014
Stability of ceiling elements - $\downarrow$	NPD	EN 14190:2014
Flexural Strength - F	Karşılar / Pass	EN 14190:2014
Thermal Conductivity - $\lambda$	0,23 W/(m.K) (EN 10456)	EN 14190:2014
Dangerous Substances – DS	NPD	EN 14190:2014
Direct airborne sound insulation - R	See manufacturers literature <a href="http://www.knauf.com.tr">www.knauf.com.tr</a>	EN 14190:2014
Impact resistance - $\rightarrow I$		EN 14190:2014
Acoustic absorption - $\alpha$		EN 14190:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER

(General Manager)

Ankara - 01.03.2019

(signature)



**DECLARATION OF PERFORMANCE**  
**No: 0253\_Knauf\_Cleaneo®\_SK\_8/18\_D\_2019.03.01**

(1) Unique identification code of the product-type:

**12,5 - Knauf Cleaneo SK 8/18 D - a/c/g**

(2) Intended use/es:

**Gypsum plasterboard products from reprocessing in general building**

(3) Manufacturer:

**KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,  
Üniversiteler Mah. 1598 Cad. No:16 06800 Çankaya Ankara TR  
Tel: +90 312 297 0100, Faks: +90 312 266 421 [www.knauf.com.tr](http://www.knauf.com.tr), e-posta: [info@knauf.com.tr](mailto:info@knauf.com.tr)  
İzmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye**

(5) Systems/s of AVCP:

**System 3-4**

(6a) Harmonized standard: **EN 14190:2014**

Notified body/ies:

**The testing of the reaction to fire (Classification report No: 303370 06-16) TURKISH STANDARDS INSTITUTION (TSE) İzmir/Turkey (NB:1783).**


(7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Shear Strength Per Fastener - $\uparrow\downarrow$	NPD	EN 14190:2014
Reaction to fire – R2F	A2-s1,d0 (C.4)	EN 14190:2014
Water Vapour Permeability - $\mu$	NPD	EN 14190:2014
Stability of ceiling elements - $\downarrow$	NPD	EN 14190:2014
Flexural Strength - F	Karşılar / Pass	EN 14190:2014
Thermal Conductivity - $\lambda$	0,23 W/(m.K) (EN 10456)	EN 14190:2014
Dangerous Substances – DS	NPD	EN 14190:2014
Direct airborne sound insulation - R	See manufacturers literature <a href="http://www.knauf.com.tr">www.knauf.com.tr</a>	EN 14190:2014
Impact resistance - $\rightarrow I$		EN 14190:2014
Acoustic absorption - $\alpha$		EN 14190:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER  
(General Manager)  
Ankara - 01.03.2019

  
(signature)



## DECLARATION OF PERFORMANCE

No: 0253\_Knauf\_Cleaneo@\_SK\_10/23\_D\_2019.03.01

(1) Unique identification code of the product-type:

12,5 - Knauf Cleaneo SK 10/23 D - a/c/g

(2) Intended use/es:

Gypsum plasterboard products from reprocessing in general building

(3) Manufacturer:

KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,

Üniversiteler Mah. 1598 Cad. No:16 06800 Çankaya Ankara TR

Tel: +90 312 297 0100, Faks: +90 312 266 421 www.knauf.com.tr, e-posta: info@knauf.com.tr

İzmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye

(5) Systems/s of AVCP:

System 3-4

(6a) Harmonized standard: EN 14190:2014

Notified body/ies:

The testing of the reaction to fire (Classification report No: 303370 06-16) TURKISH STANDARDS INSTITUTION (TSE) İzmir/Turkey (NB:1783).

(7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Shear Strength Per Fastener - $\uparrow\downarrow$	NPD	EN 14190:2014
Reaction to fire – R2F	A2-s1,d0 (C.4)	EN 14190:2014
Water Vapour Permeability - $\mu$	NPD	EN 14190:2014
Stability of ceiling elements - $\downarrow$	NPD	EN 14190:2014
Flexural Strength - F	Karşılar / Pass	EN 14190:2014
Thermal Conductivity - $\lambda$	0,23 W/(m.K) (EN 10456)	EN 14190:2014
Dangerous Substances – DS	NPD	EN 14190:2014
Direct airborne sound insulation - R	See manufacturers literature <a href="http://www.knauf.com.tr">www.knauf.com.tr</a>	EN 14190:2014
Impact resistance - $\rightarrow I$		EN 14190:2014
Acoustic absorption - $\alpha$		EN 14190:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER

(General Manager)

Ankara - 01.03.2019

  
.....  
(signature)



## DECLARATION OF PERFORMANCE

No: 0253\_Knauf\_Cleaneo@\_SK\_12/20/66\_D\_2019.03.01

(1) Unique identification code of the product-type:

12,5 - Knauf Cleaneo SK 12/20/66 D - a/c/g

(2) Intended use/es:

Gypsum plasterboard products from reprocessing in general building

(3) Manufacturer:

KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,

Üniversiteler Mah. 1598 Cad. No:16 06800 Çankaya Ankara TR

Tel: +90 312 297 0100, Faks: +90 312 266 421 www.knauf.com.tr, e-posta: info@knauf.com.tr

İzmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye

(5) Systems/s of AVCP:

System 3-4

(6a) Harmonized standard: EN 14190:2014

Notified body/ies:

The testing of the reaction to fire (Classification report No: 303370 06-16) TURKISH STANDARDS INSTITUTION (TSE) İzmir/Turkey (NB:1783).

(7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Shear Strength Per Fastener - $\uparrow\downarrow$	NPD	EN 14190:2014
Reaction to fire – R2F	A2-s1,d0 (C.4)	EN 14190:2014
Water Vapour Permeability - $\mu$	NPD	EN 14190:2014
Stability of ceiling elements - $\downarrow$	NPD	EN 14190:2014
Flexural Strength - F	Karşılar / Pass	EN 14190:2014
Thermal Conductivity - $\lambda$	0,23 W/(m.K) (EN 10456)	EN 14190:2014
Dangerous Substances – DS	NPD	EN 14190:2014
Direct airborne sound insulation - R	See manufacturers literature <a href="http://www.knauf.com.tr">www.knauf.com.tr</a>	EN 14190:2014
Impact resistance - $\rightarrow I$		EN 14190:2014
Acoustic absorption - $\alpha$		EN 14190:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER

(General Manager)

Ankara - 01.03.2019

.....  
(signature)



**DECLARATION OF PERFORMANCE**  
**No: 0253\_Knauf\_Cleaneo®\_SK\_12/25\_D\_2019.03.01**

(1) Unique identification code of the product-type:

**12,5 - Knauf Cleaneo SK 12/25 D - a/c/g**

(2) Intended use/es:

**Gypsum plasterboard products from reprocessing in general building**

(3) Manufacturer:

**KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,  
Üniversiteler Mah. 1598 Cad. No:16 06800 Çankaya Ankara TR  
Tel: +90 312 297 0100, Faks: +90 312 266 421 [www.knauf.com.tr](http://www.knauf.com.tr), e-posta: [info@knauf.com.tr](mailto:info@knauf.com.tr)  
İzmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye**

(5) Systems/s of AVCP:

**System 3-4**

(6a) Harmonized standard: **EN 14190:2014**

Notified body/ies:

**The testing of the reaction to fire (Classification report No: 303370 06-16) TURKISH STANDARDS INSTITUTION (TSE) İzmir/Turkey (NB:1783).**


(7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Shear Strength Per Fastener - $\uparrow\downarrow$	NPD	EN 14190:2014
Reaction to fire – R2F	A2-s1,d0 (C.4)	EN 14190:2014
Water Vapour Permeability - $\mu$	NPD	EN 14190:2014
Stability of ceiling elements - $\downarrow$	NPD	EN 14190:2014
Flexural Strength - F	Karşılar / Pass	EN 14190:2014
Thermal Conductivity - $\lambda$	0,23 W/(m.K) (EN 10456)	EN 14190:2014
Dangerous Substances – DS	NPD	EN 14190:2014
Direct airborne sound insulation - R	See manufacturers literature <a href="http://www.knauf.com.tr">www.knauf.com.tr</a>	EN 14190:2014
Impact resistance - $\rightarrow I$		EN 14190:2014
Acoustic absorption - $\alpha$		EN 14190:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER  
(General Manager)  
Ankara - 01.03.2019

  
.....  
(signature)





**DECLARATION OF PERFORMANCE**  
**No: 0253\_Knauf\_Cleaneo®\_SK\_12/25\_K\_2019.03.01**

(1) Unique identification code of the product-type:

**12,5 - Knauf Cleaneo SK 12/25 K - a/c/g**

(2) Intended use/es:

**Gypsum plasterboard products from reprocessing in general building**

(3) Manufacturer:

**KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,  
Üniversiteler Mah. 1598 Cad. No:16 06800 Çankaya Ankara TR  
Tel: +90 312 297 0100, Faks: +90 312 266 421 [www.knauf.com.tr](http://www.knauf.com.tr), e-posta: [info@knauf.com.tr](mailto:info@knauf.com.tr)  
İzmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye**

(5) Systems/s of AVCP:

**System 3-4**

(6a) Harmonized standard: **EN 14190:2014**

Notified body/ies:

**The testing of the reaction to fire (Classification report No: 303411 06-16) TURKISH STANDARDS INSTITUTION (TSE) İzmir/Turkey (NB:1783).**


(7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Shear Strength Per Fastener - $\uparrow\downarrow$	NPD	EN 14190:2014
Reaction to fire – R2F	A2-s1,d0 (C.4)	EN 14190:2014
Water Vapour Permeability - $\mu$	NPD	EN 14190:2014
Stability of ceiling elements - $\downarrow$	NPD	EN 14190:2014
Flexural Strength - F	Karşılar / Pass	EN 14190:2014
Thermal Conductivity - $\lambda$	0,23 W/(m.K) (EN 10456)	EN 14190:2014
Dangerous Substances – DS	NPD	EN 14190:2014
Direct airborne sound insulation - R	See manufacturers literature <a href="http://www.knauf.com.tr">www.knauf.com.tr</a>	EN 14190:2014
Impact resistance - $\rightarrow I$		EN 14190:2014
Acoustic absorption - $\alpha$		EN 14190:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER  
(General Manager)  
Ankara - 01.03.2019

  
.....  
(signature)



## DECLARATION OF PERFORMANCE

No: 0253\_Knauf\_Cleaneo@\_SK\_15/30\_D\_2019.03.01

(1) Unique identification code of the product-type:

12,5 - Knauf Cleaneo SK 15/30 D - a/c/g

(2) Intended use/es:

Gypsum plasterboard products from reprocessing in general building

(3) Manufacturer:

KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,

Üniversiteler Mah. 1598 Cad. No:16 06800 Çankaya Ankara TR

Tel: +90 312 297 0100, Faks: +90 312 266 421 www.knauf.com.tr, e-posta: info@knauf.com.tr

İzmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye

(5) Systems/s of AVCP:

System 3-4

(6a) Harmonized standard: EN 14190:2014

Notified body/ies:

The testing of the reaction to fire (Classification report No: 303370 06-16) TURKISH STANDARDS INSTITUTION (TSE) İzmir/Turkey (NB:1783).

(7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Shear Strength Per Fastener - $\uparrow\downarrow$	NPD	EN 14190:2014
Reaction to fire – R2F	A2-s1,d0 (C.4)	EN 14190:2014
Water Vapour Permeability - $\mu$	NPD	EN 14190:2014
Stability of ceiling elements - $\downarrow$	NPD	EN 14190:2014
Flexural Strength - F	Karşılar / Pass	EN 14190:2014
Thermal Conductivity - $\lambda$	0,23 W/(m.K) (EN 10456)	EN 14190:2014
Dangerous Substances – DS	NPD	EN 14190:2014
Direct airborne sound insulation - R	See manufacturers literature <a href="http://www.knauf.com.tr">www.knauf.com.tr</a>	EN 14190:2014
Impact resistance - $\rightarrow I$		EN 14190:2014
Acoustic absorption - $\alpha$		EN 14190:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER

(General Manager)

Ankara - 01.03.2019

.....  
(signature)