

# Profiloversigt

Følgende profiler er omfattet af den efterfølgende Environmental Product Declaration (EPD).

Article name	Weight	Unit
Båndstål 190x10000mm 0,7	1,10	kg/m
KR45 1,0	1,00	kg/m
KSK45 1,0	1,00	kg/m
Båndstål 80x25000mm 0,56	0,36	kg/m
Båndstål 80x885mm 0,56	0,35	kg/m
C100 1,0	1,64	kg/m
C100 1,5	2,46	kg/m
C150 1,0	2,46	kg/m
C150 1,5	2,93	kg/m
C200 1,5	4,32	kg/m
C200 2,0	5,95	kg/m
C200 2,5	5,95	kg/m
C200 3,0	8,76	kg/m
C250 2,5	8,50	kg/m
C300 2,0	8,45	kg/m
C300 3,0	12,74	kg/m
FR120 1,5	2,55	kg/m
FR145 1,5	2,94	kg/m
FR160 1,5	3,10	kg/m
FR45 1,5	1,65	kg/m
FR70 1,5	1,95	kg/m
FR95 1,5	2,25	kg/m
FSK120 1,5	2,81	kg/m
FSK145 1,5	3,13	kg/m
FSK160 1,5	3,16	kg/m
FSK45 1,5	1,92	kg/m
FSK50 2,0	2,13	kg/m
FSK70 1,5	2,22	kg/m
FSK70 2,0	3,50	kg/m
FSK95 1,5	2,52	kg/m

H50 0,56	0,39	kg/m
HP50 0,56	0,39	kg/m
HR60 225),25	0,61	kg/m
KR120 1,0	1,58	kg/m
KR145 1,0	1,78	kg/m
KR70 1,0	1,21	kg/m
KR95 1,0	1,39	kg/m
KS15	0,18	kg/m
KSK120 1,0	1,58	kg/m
KSK145 1,0	1,78	kg/m
KSK70/50 1,0	1,21	kg/m
KSK70/45 1,0	1,25	kg/m
KSK95 1,0	1,39	kg/m
MR120 0,46	0,77	kg/m
MR145 0,46	0,87	kg/m
MR160 0,46	0,92	kg/m
MR45 0,46	0,50	kg/m
MR70 0,46	0,59	kg/m
MR95 0,46	0,68	kg/m
MRC70 0,56	0,80	kg/m
MRC95 0,56	0,86	kg/m
MSK120 0,46	0,66	kg/m
MSK145 0,46	0,76	kg/m
MSK160 0,46	0,80	kg/m
MSK45 0,46	0,45	kg/m
MSK70 0,46	0,47	kg/m
MSK95 0,46	0,57	kg/m
MSKC70 0,56	0,80	kg/m
P45 0,9	0,50	kg/m
S25 0,50	0,44	kg/m
SKDC70 0,56	0,80	kg/m
SKDC95 0,56	0,91	kg/m
U100 1,0	1,64	kg/m
U100 1,5	2,64	kg/m
U150 1,5	3,05	kg/m
U150 2,0	3,87	kg/m
U200 1,25	3,10	kg/m

U200 2,5	6,06	kg/m
U250 1,25	4,30	kg/m
U300 1,25	4,90	kg/m
U300 2,0	6,47	kg/m
U300 2,5	7,92	kg/m
VBP100 25000mm 0.56	0,44	kg/m
KS13	0,18	kg/m
KS26	0,25	kg/m
HR60 0,6	0,60	kg/m
HSK29	0,22	kg/m
AP+	0,67	kg/m

Owner: Ib Andresen Industri  
No.: MD-21013-EN  
Issued: 26-10-2021  
Valid to: 26-10-2026

3<sup>rd</sup> PARTY VERIFIED

**EPD**

VERIFIED ENVIRONMENTAL PRODUCT DECLARATION | ISO 14025 & EN 15804



**Owner of declaration**

Ib Andesen Industri A/S  
 Industrivej 12-20  
 DK-5550 Langeskov



**Issued:**  
26-10-2021

**Valid to:**  
26-10-2026

**Programme**

EPD Danmark  
 www.epddanmark.dk



**Basis of calculation**

This EPD is developed in accordance with the European standard EN 15804+A2.

- Industry EPD
- Product EPD

**Comparability**

EPDs of construction products may not be comparable if they do not comply with the requirements in EN 15804. EPD data may not be comparable if the datasets used are not developed in accordance with EN 15804 and if the background systems are not based on the same database.

**Declared product(s)**

Light gauge steel profiles.

**Validity**

This EPD has been verified in accordance with ISO 14025 and is valid for 5 years from the date of issue.

**Production site**

Industrivej 12-20  
 DK-5550 Langeskov  
 Denmark

**Use**

The intended use of an EPD is to communicate scientifically based environmental information for construction products, for the purpose of assessing the environmental performance of buildings.

**Product(s) use**

The profiles are primarily used for the mounting of sheet materials in the construction of interior or exterior walls and ceilings.

**EPD type**

- Cradle-to-gate with modules C1-C4 and D
- Cradle-to-gate with options, modules C1-C4 and D
- Cradle-to-grave and module D
- Cradle-to-gate
- Cradle-to-gate with options

**Declared or functional unit**

1 kg of light gauge steel profile.

**Year of data**

2019-2020

CEN standard EN 15804 serves as the core PCR
Independent verification of the declaration and data, according to EN ISO 14025
<input type="checkbox"/> internal <input checked="" type="checkbox"/> external
Third party verifier:  <hr/> Ninkie Bendtsen

  
 Henrik Fred Larsen  
 EPD Danmark

**Life cycle stages and modules (MND = module not declared)**

Product			Construction process		Use								End of life				Beyond the system boundary
Raw material supply	Transport	Manufacturing	Transport	Installation process	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Re-use, recovery and recycling potential	
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	
<b>X</b>	<b>X</b>	<b>X</b>	MND	MND	MND	MND	MND	MND	MND	MND	MND	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	

# Product information

## Product description

Steel profiles are manufactured from hot dip galvanized steel with different surface treatment in order to obtain intact surface on the products. To meet requirements regarding noise reduction properties, the profiles can be mounted with sealing strips and/or isolation sheets.

The products are transported to the customers on wooden spacers with plastic straps. The straps are not included in the EPD.

The main product compounds incl. wood packaging.

Steel no.	Steel weight %	Zinc weight %
Steel 1a	96,7	3,3
Steel 2a	97,2	2,8
Steel 3a	95,9	4,1
Steel 3b	96,3	3,7
Steel 3c	97,6	2,4
Steel 4a	96,4	3,7
Steel 4b	97,1	2,9
Steel 4c	97,6	2,4
Steel 4d	98,2	1,8
Steel 4e	98,5	1,5
Steel 4f	98,8	1,2
Packaging		
Pallets and sawn wood	3.34E-04	Kg

Content in the product pr. declared unit

## Included products

Roll formed profiles (and other components) produced from steel quality and steel thickness presented in the table below.

Steel no.	Steel grade	Steel thickness mm
Steel 1a	DX51D+Z140	0,56
Steel 2a	S250GD+z100	0,46
Steel 3a	S250GD+z275	0,90
Steel 3b		1,00
Steel 3c		1,50
Steel 4a	S350GD+z275	1,00
Steel 4b		1,25
Steel 4c		1,50
Steel 4d		2,00
Steel 4e		2,50
Steel 4f		3,00

## Representativity

This declaration, including data collection and the modeled foreground system including results, represents the production of **light gauge steel profiles** on the production site located in Langeskov, Fyn. Product specific data are based on average values collected in the period 1/7 2019 - 30/6 2020 and provided by Ib Andresen Industry. Background data are based on Simapro version 9.2.0.2 2020 and Ecoinvent 3.6 2019 - allocation, cut-off by classification - unit.

## Hazardous substances

The profiles does not contain substances listed in the "Candidate List of Substances of Very High Concern for authorization".

(<http://echa.europa.eu/candidate-list-table>)

## Essential characteristics (CE)

The Ib Andresen Industri-profiles are covered by harmonised technical specification EN 10346:2015. Declaration of performance according to EU regulation 305/2011 is available for all declared product variations.

Further technical information can be obtained by contacting the manufacturer or on the manufacturer's website:

<https://iai.dk/dokumenter>

### Reference Service Life (RSL)

The product has an estimated service life of 60 years.

### Picture of product(s)



The profiles are available with different types of surface treatment. Products used in internal and external walls and ceilings have a surface layer of 100 – 275 g per square meter.

Steel grades are expressed according to the standard EN 10027, where e.g. S 250 GD + Z100 designates a structural steel (S) with a specified yield of strength of 250 MPa (250) and a surface layer of 100 g plain Zinc per square meter (Z100).

Steel no.	1	2	3	4
Steel grade	DX51D+Z140	S250GD+Z100	S250GD+Z275	S350GD+Z275
Product objectives	Material of 0,56 mm thickness for use in steel profiles for interior walls and ceilings.	Material of 0,46 mm thickness for use in steel profiles for interior walls and ceilings.	Material of 0,9 – 1,5 mm thickness for use in steel profiles for interior walls and ceilings.	Material of 1 - 3 mm thickness for use in steel profiles for external walls and light weight steel beams.
<b>Steel</b>				
Manufactured in accordance with European standard	EN 10346:2015			
Iron weight (w-%)	97,655	97,35	97,35	97,35
Carbon weight (w-%)	0,18	0,2	0,2	0,2
Silicon weight (w-%)	0,5	0,6	0,6	0,6
Manganese weight (w-%)	1,2	1,7	1,7	1,7
Phosphorus weight (w-%)	0,12	0,1	0,1	0,1
Sulfur weight (w-%)	0,045	0,045	0,045	0,045
Titan weight (w-%)	0,3	-	-	-
<b>Coating</b>				
Coating	Hot galvanized			
Coating thickness per side (µm/m <sup>2</sup> )	10	7	20	20
Coating total weight (g/m <sup>2</sup> )	140	100	275	275
Zinc weight (w-%)	3,3	2,8	2,4 – 4,1	1,2 – 3,7
Corrosion class	C1 – C2	C1 – C2	C1 – C2	C2 – C3

The thickness of the zinc coating determines the duration of protection. When galvanized steel is exposed to atmospheric conditions, there is generally a linear relationship between the thickness of the zinc coating and the lifetime expectancy. The corrosion categories are an expression of this. According to ISO 9224 and when it is defined in which environment the profiles are used, which are inside gypsum constructions, the service life is estimated to be 60 years.



# LCA background

## Declared unit

The LCI and LCIA results in this EPD relates to 1 kg of light gauge steel profile.

Name	Value	Unit
Declared unit	1	kg
Conversion factor to 1 kg.	1	-

## Functional Unit

Not defined.


## PCR

Product category rules: PRC 2019:14  
Construction products, Version 1.0, date 2019-12-20.

This EPD is developed according to the core rules for the product category of construction products in EN 15804:2012+A2

**System diagram**

Cradle to gate with module C1 - C4, module D and with optional modules.



The profiles are manufactured from hot dip galvanized carbon steel delivered from steelworks as coils by boat to the IAI's port in Nyborg. In IAI site Langeskov, the coil is divided in narrow bands whose width fit the specific profiles, and the profiles are manufactured through roll forming technique.

#### System boundary

The general rules for the exclusion of inputs and outputs follow the requirements in EN 15804, 6.3.5, where the total of neglected input flows per module shall be a maximum of 5 % of energy usage and mass and 1 % of energy usage and mass for unit processes.

The system boundaries of this EPD includes Module A1, A2, A3, C1, C2, C3, C4 and Module D.

#### Product stage (A1-A3) includes:

A1: Extraction and processing of raw materials. The mining of raw materials as iron and zinc. The process of making the hot rolled steel-coils in the right alloy accordingly the IAI-requirement, including zinc-coating.

A2: Transport of raw material from the steel mill in Finland to the IAI stock and to manufacturing site. Transport of the profiles to stock in Hobro.

A3: The manufacturing processes. Slitting of hot rolled coils and roll forming steel into various widths, thicknesses and surface treatments according to the requirements of the ordered profiles.

Packaging to customers on pallets with straps.

External services such as electricity, heating and water, waste and emissions to air, land and water from manufacturing.

#### End of life stage (C1-C4) includes:

C1: Deconstruction of the construction into which the steel is built.

C2: Transportation of waste from construction-sites to waste processing sites / disposals.

C3: Waste processing, sorting of scrap steel.

C4: Disposal.

Steel is a highly recyclable building material, once steel has been made, it can be recycled without weakening its properties.

The background data used is Miljøstyrelsens Affaldsstatistik 2018: Proportion of construction waste prepared for the purpose of reuse, recycled or used for other final material recovery is calculated at 89%.

The impacts from the End-of-life stages were modelled in Simapro.

**Resource recovery stage (D):** Potential for reuse, recycling or energy recovery.

# LCA results

Environmental performance for Steel 1a: DX51D+Z140, t=0,56 mm

Potential environmental impact per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
GWP-total	[kg CO <sub>2</sub> eq.]	1.86E+00	5.44E-02	1.44E-02	2.16E-03	4.51E-03	2.07E-02	5.81E-04	-1.05E+00
GWP-fossil	[kg CO <sub>2</sub> eq.]	1.85E+00	5.44E-02	1.32E-02	2.16E-03	4.51E-03	2.20E-02	5.79E-04	-1.05E+00
GWP-biogenic	[kg CO <sub>2</sub> eq.]	6.32E-03	1.68E-05	1.21E-03	6.01E-07	3.30E-06	-1.26E-03	1.15E-06	9.70E-04
GWP-luluc	[kg CO <sub>2</sub> eq.]	1.31E-03	2.37E-05	1.56E-05	1.70E-07	1.33E-06	2.46E-05	1.61E-07	-3.97E-04
ODP	[kg CFC 11 eq.]	1.25E-07	1.20E-08	4.18E-10	4.67E-10	1.07E-09	3.15E-09	2.39E-10	-4.86E-08
AP	[mol H <sup>+</sup> eq.]	2.51E-02	5.93E-04	4.39E-05	2.26E-05	2.30E-05	2.66E-04	5.50E-06	-5.35E-03
EP-freshwater	[kg PO <sub>4</sub> eq.]	1.34E-03	3.97E-06	7.98E-06	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
EP-marine	[kg N eq.]	2.51E-03	1.57E-04	9.75E-06	1.00E-05	7.87E-06	6.04E-05	1.90E-06	-1.12E-03
EP-terrestrial	[mol N eq.]	9.06E-02	1.74E-03	1.13E-04	1.10E-04	8.62E-05	6.81E-04	2.09E-05	-1.19E-02
POCP	[kg NMVOC eq.]	8.87E-03	4.85E-04	2.40E-05	3.01E-05	2.57E-05	1.86E-04	6.06E-06	-5.21E-03
ADPm <sup>1</sup>	[kg Sb eq.]	2.51E-03	8.19E-07	5.07E-08	3.32E-09	7.75E-08	1.22E-06	5.30E-09	-1.93E-05
ADPf <sup>1</sup>	[MJ]	2.21E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
WDP <sup>1</sup>	[m <sup>3</sup> ]	7.97E-01	2.61E-03	2.09E-03	3.99E-05	2.30E-04	3.07E-03	7.26E-04	-1.87E-01

GWP-total = Globale Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use

Use of resources per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PERE	[MJ]	2.20E+00	8.17E-03	1.24E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PERM	[MJ]	0 0.00E+00	0.00E+00	7.43E-03*	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	2.20E+00	8.17E-03	1.31E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PENRE	[MJ]	2.35E+01	8.53E-01	1.60E-01	3.16E-02	7.50E-02	3.23E-01	1.72E-02	-1.10E+01
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	2.35E+01	8.53E-01	1.60E-01	3.16E-02	7.50E-02	3.23E-01	1.72E-02	-1.10E+01
SM	[kg]	4.16E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m <sup>3</sup> ]	2.27E-02	8.77E-05	4.84E-04	1.53E-06	8.05E-06	1.44E-04	1.73E-05	-5.45E-03

PERE = Renewable primary energy resources used as energy carrier; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Non-renewable primary energy resources used as energy carrier; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water

\*from wood packaging

Additional environmental impact per declared unit (ND = not declared)

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PM	[Disease incidence]	2.62E-07	4.17E-09	2.59E-10	5.98E-10	4.19E-10	3.36E-09	1.07E-05	-9.20E-08
IRP <sup>2</sup>	[kBq U235 eq.]	1.70E-01	3.78E-03	1.74E-03	1.35E-04	3.60E-04	3.13E-03	7.24E-05	-3.96E-02
ETP-fw <sup>1</sup>	[CTUe]	1.34E-03	3.97E-06	7.79E-05	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
HTP-c <sup>1</sup>	[CTUh]	1.60E-08	2.12E-11	3.58E-12	6.27E-13	1.39E-12	3.19E-11	2.43E-13	-8.91E-09
HTP-nc <sup>1</sup>	[CTUh]	1.99E-07	6.74E-10	1.36E-10	1.54E-11	6.40E-11	1.52E-09	7.47E-12	-3.75E-08
SQP <sup>1</sup>	-	ND	ND	ND	ND	ND	ND	ND	ND

PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater. total; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality (dimensionless)

Waste production and output flows per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
HWD	[kg]	3.79E-04	1.72E-06	7.69E-08	8.10E-08	1.71E-07	9.18E-07	2.42E-08	-7.53E-05
NHWD	[kg]	6.95E-01	5.52E-02	6.99E-03	3.60E-05	6.15E-03	8.96E-03	1.10E-01	6.14E-03
RWD	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	4.21E-02	0.00E+00	0.00E+00	8.90E-01	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	7.77E-02	0.00E+00	0.00E+00	1.10E-01	0.00E+00	0.00E+00
EE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EE = Exported energy)

Environmental performance for Steel 2a: S250GD+Z100, t=0,46 mm

Potential environmental impact per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
GWP-total	[kg CO <sub>2</sub> eq.]	1.88E+00	5.44E-02	1.44E-02	2.16E-03	4.51E-03	2.07E-02	5.81E-04	-1.05E+00
GWP-fossil	[kg CO <sub>2</sub> eq.]	1.88E+00	5.44E-02	1.32E-02	2.16E-03	4.51E-03	2.20E-02	5.79E-04	-1.05E+00
GWP-biogenic	[kg CO <sub>2</sub> eq.]	7.23E-03	1.68E-05	1.21E-03	6.01E-07	3.30E-06	-1.26E-03	1.15E-06	9.70E-04
GWP-luluc	[kg CO <sub>2</sub> eq.]	1.39E-03	2.37E-05	1.56E-05	1.70E-07	1.33E-06	2.46E-05	1.61E-07	-3.97E-04
ODP	[kg CFC 11 eq.]	1.29E-02	1.20E-08	4.18E-10	4.67E-10	1.07E-09	3.15E-09	2.39E-10	-4.86E-08
AP	[mol H <sup>+</sup> eq.]	2.88E-02	5.93E-04	4.39E-05	2.26E-05	2.30E-05	2.66E-04	5.50E-06	-5.35E-03
EP-freshwater	[kg PO <sub>4</sub> eq.]	1.36E-03	3.97E-06	7.98E-06	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
EP-marine	[kg N eq.]	2.66E-03	1.57E-04	9.75E-06	1.00E-05	7.87E-06	6.04E-05	1.90E-06	-1.12E-03
EP-terrestrial	[mol N eq.]	1.07E-01	1.74E-03	1.13E-04	1.10E-04	8.62E-05	6.81E-04	2.09E-05	-1.19E-02
POCP	[kg NMVOC eq.]	9.00E-03	4.85E-04	2.40E-05	3.01E-05	2.57E-05	1.86E-04	6.06E-06	-5.21E-03
ADPm <sup>1</sup>	[kg Sb eq.]	3.06E-03	8.19E-07	5.07E-08	3.32E-09	7.75E-08	1.22E-06	5.30E-09	-1.93E-05
ADP <sup>1</sup>	[MJ]	2.26E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
WDP <sup>1</sup>	[m <sup>3</sup> ]	8.24E-01	2.61E-03	2.09E-03	3.99E-05	2.30E-04	3.07E-03	7.26E-04	-1.87E-01

GWP-total = Global Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADP<sup>1</sup> = Abiotic Depletion Potential – fossil fuels; WDP = water use

Use of resources per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PERE	[MJ]	2.24E+00	8.17E-03	1.24E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PERM	[MJ]	0.00E+00	0.00E+00	7.43E-03*	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	2.24E+00	8.17E-03	1.31E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PENRE	[MJ]	2.40E+01	8.53E-01	1.60E-01	3.16E-02	7.50E-02	3.23E-01	1.72E-02	-1.10E+01
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	2.40E+01	8.53E-01	1.60E-01	3.16E-02	7.50E-02	3.23E-01	1.72E-02	-1.10E+01
SM	[kg]	4.13E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m <sup>3</sup> ]	2.35E-02	8.77E-05	4.84E-04	1.53E-06	8.05E-06	1.44E-04	1.73E-05	-5.45E-03

PERE = Renewable primary energy resources used as energy carrier; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Non-renewable primary energy resources used as energy carrier; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water

\*from wood packaging

Additional environmental impact per declared unit (ND = not declared)

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PM	[Disease incidence]	2.86E-07	4.17E-09	2.59E-10	5.98E-10	4.19E-10	3.36E-09	1.07E-10	-9.20E-08
IRP <sup>2</sup>	[kBq U235 eq.]	1.76E-01	3.78E-03	1.74E-03	1.35E-04	3.60E-04	3.13E-03	7.24E-05	-3.96E-02
ETP-fw <sup>1</sup>	[CTUe]	1.36E-03	3.97E-06	7.79E-05	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
HTP-c <sup>1</sup>	[CTUh]	1.60E-08	2.12E-11	3.58E-12	6.27E-13	1.39E-12	3.19E-11	2.43E-13	-8.91E-09
HTP-nc <sup>1</sup>	[CTUh]	2.02E-07	6.74E-10	1.36E-10	1.54E-11	6.40E-11	1.52E-09	7.47E-12	-3.75E-08
SQP <sup>1</sup>	-	ND	ND	ND	ND	ND	ND	ND	ND

PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater. total; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality (dimensionless)

Waste production and output flows per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
HWD	[kg]	4.90E-04	1.72E-06	7.69E-08	8.10E-08	1.71E-07	9.18E-07	2.42E-08	-7.53E-05
NHWD	[kg]	6.95E-01	5.52E-02	6.99E-03	3.60E-05	6.15E-03	8.96E-03	1.10E-01	6.14E-03
RWD	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	4.21E-02	0.00E+00	0.00E+00	8.90E-01	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	7.77E-02	0.00E+00	0.00E+00	1.10E-01	0.00E+00	0.00E+00
EE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EE = Exported energy)

Environmental performance for Steel 3a: S250GD+Z275, t=0,9 mm

Potential environmental impact per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
GWP-total	[kg CO <sub>2</sub> eq.]	1.87E+00	5.44E-02	1.44E-02	2.16E-03	4.51E-03	2.07E-02	5.81E-04	-1.05E+00
GWP-fossil	[kg CO <sub>2</sub> eq.]	1.86E+00	5.44E-02	1.32E-02	2.16E-03	4.51E-03	2.20E-02	5.79E-04	-1.05E+00
GWP-biogenic	[kg CO <sub>2</sub> eq.]	6.73E-03	1.68E-05	1.21E-03	6.01E-07	3.30E-06	-1.26E-03	1.15E-06	9.70E-04
GWP-luluc	[kg CO <sub>2</sub> eq.]	1.34E-03	2.37E-05	1.56E-05	1.70E-07	1.33E-06	2.46E-05	1.61E-07	-3.97E-04
ODP	[kg CFC 11 eq.]	1.27E-07	1.20E-08	4.18E-10	4.67E-10	1.07E-09	3.15E-09	2.39E-10	-4.86E-08
AP	[mol H <sup>+</sup> eq.]	2.68E-02	5.93E-04	4.39E-05	2.26E-05	2.30E-05	2.66E-04	5.50E-06	-5.35E-03
EP-freshwater	[kg PO <sub>4</sub> eq.]	1.35E-03	3.97E-06	7.98E-06	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
EP-marine	[kg N eq.]	2.58E-03	1.57E-04	9.75E-06	1.00E-05	7.87E-06	6.04E-05	1.90E-06	-1.12E-03
EP-terrestrial	[mol N eq.]	9.78E-02	1.74E-03	1.13E-04	1.10E-04	8.62E-05	6.81E-04	2.09E-05	-1.19E-02
POCP	[kg NMVOC eq.]	8.93E-03	4.85E-04	2.40E-05	3.01E-05	2.57E-05	1.86E-04	6.06E-06	-5.21E-03
ADPm <sup>1</sup>	[kg Sb eq.]	2.75E-03	8.19E-07	5.07E-08	3.32E-09	7.75E-08	1.22E-06	5.30E-09	-1.93E-05
ADP <sup>1</sup>	[MJ]	2.23E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
WDP <sup>1</sup>	[m <sup>3</sup> ]	8.09E-01	2.61E-03	2.09E-03	3.99E-05	2.30E-04	3.07E-03	7.26E-04	-1.87E-01

GWP-total = Globale Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADP<sup>1</sup> = Abiotic Depletion Potential – fossil fuels; WDP = water use

Use of resources per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PERE	[MJ]	2.22E+00	8.17E-03	1.23E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PERM	[MJ]	0.00E+00	0.00E+00	7.43E-03*	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	2.22E+00	8.17E-03	1.31E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PENRE	[MJ]	2.23E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	2.23E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
SM	[kg]	4.15E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m <sup>3</sup> ]	2.31E-02	8.77E-05	4.84E-04	1.53E-06	8.05E-06	1.44E-04	1.73E-05	-5.45E-03

PERE = Renewable primary energy resources used as energy carrier; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Non-renewable primary energy resources used as energy carrier; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water

\*from wood packaging

Additional environmental impact per declared unit (ND = not declared)

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PM	[Disease incidence]	2.72E-07	4.17E-09	2.59E-10	5.98E-10	4.19E-10	3.36E-09	1.07E-10	-9.20E-08
IRP <sup>2</sup>	[kBq U235 eq.]	1.72E-01	3.78E-03	1.74E-03	1.35E-04	3.60E-04	3.13E-03	7.24E-05	-3.96E-02
ETP-fw <sup>1</sup>	[CTUe]	1.35E-03	3.97E-06	7.79E-05	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
HTP-c <sup>1</sup>	[CTUh]	1.60E-08	2.12E-11	3.58E-12	6.27E-13	1.39E-12	3.19E-11	2.43E-13	-8.91E-09
HTP-nc <sup>1</sup>	[CTUh]	2.00E-07	6.74E-10	1.36E-10	1.54E-11	6.40E-11	1.52E-09	7.47E-12	-3.75E-08
SQP <sup>1</sup>	-	ND	ND	ND	ND	ND	ND	ND	ND

PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater. total; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality (dimensionless)

Waste production and output flows per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
HWD	[kg]	4.52E-04	1.72E-06	7.69E-08	8.10E-08	1.71E-07	9.18E-07	2.42E-08	-7.53E-05
NHWD	[kg]	6.95E-01	5.52E-02	6.99E-03	3.60E-05	6.15E-03	8.96E-03	1.10E-01	6.14E-03
RWD	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	4.21E-02	0.00E+00	0.00E+00	8.90E-01	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	7.77E-02	0.00E+00	0.00E+00	1.10E-01	0.00E+00	0.00E+00
EE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EE = Exported energy)

Environmental performance for Steel 3b: S250GD+Z275, t=1,0 mm

Potential environmental impact per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
GWP-total	[kg CO <sub>2</sub> eq.]	1.82E+00	5.44E-02	1.44E-02	2.16E-03	4.51E-03	2.07E-02	5.81E-04	-1.05E+00
GWP-fossil	[kg CO <sub>2</sub> eq.]	1.81E+00	5.44E-02	1.32E-02	2.16E-03	4.51E-03	2.20E-02	5.79E-04	-1.05E+00
GWP-	[kg CO <sub>2</sub> eq.]	5.23E-03	1.68E-05	1.21E-03	6.01E-07	3.30E-06	-1.26E-03	1.15E-06	9.70E-04
GWP-luluc	[kg CO <sub>2</sub> eq.]	1.20E-03	2.37E-05	1.56E-05	1.70E-07	1.33E-06	2.46E-05	1.61E-07	-3.97E-04
ODP	[kg CFC 11]	1.20E-07	1.20E-08	4.18E-10	4.67E-10	1.07E-09	3.15E-09	2.39E-10	-4.86E-08
AP	[mol H <sup>+</sup> eq.]	2.07E-02	5.93E-04	4.39E-05	2.26E-05	2.30E-05	2.66E-04	5.50E-06	-5.35E-03
EP-freshwater	[kg PO <sub>4</sub> eq.]	1.31E-03	3.97E-06	7.98E-06	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
EP-marine	[kg N eq.]	2.32E-03	1.57E-04	9.75E-06	1.00E-05	7.87E-06	6.04E-05	1.90E-06	-1.12E-03
EP-terrestrial	[mol N eq.]	7.15E-02	1.74E-03	1.13E-04	1.10E-04	8.62E-05	6.81E-04	2.09E-05	-1.19E-02
POCP	[kg NMVOC eq.]	8.71E-03	4.85E-04	2.40E-05	3.01E-05	2.57E-05	1.86E-04	6.06E-06	-5.21E-03
ADPm <sup>1</sup>	[kg Sb eq.]	1.84E-03	8.19E-07	5.07E-08	3.32E-09	7.75E-08	1.22E-06	5.30E-09	-1.93E-05
ADPf <sup>1</sup>	[MJ]	2.15E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
WDP <sup>1</sup>	[m <sup>3</sup> ]	7.63E-01	2.61E-03	2.09E-03	3.99E-05	2.30E-04	3.07E-03	7.26E-04	-1.87E-01

GWP-total = Globale Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use

Use of resources per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PERE	[MJ]	2.14E+00	8.17E-03	1.23E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PERM	[MJ]	0.00E+00	0.00E+00	7.43E-03*	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	2.14E+00	8.17E-03	1.31E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PENRE	[MJ]	2.15E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	2.15E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
SM	[kg]	4.20E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m <sup>3</sup> ]	2.17E-02	8.77E-05	4.84E-04	1.53E-06	8.05E-06	1.44E-04	1.73E-05	-5.45E-03

PERE = Renewable primary energy resources used as energy carrier; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Non-renewable primary energy resources used as energy carrier; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water

\*from wood packaging

Additional environmental impact per declared unit (ND = not declared)

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PM	[Disease incidence]	2.32E-07	4.17E-09	2.59E-10	5.98E-10	4.19E-10	3.36E-09	1.07E-10	-9.20E-08
IRP <sup>2</sup>	[kBq U235 eq.]	1.62E-01	3.78E-03	1.74E-03	1.35E-04	3.60E-04	3.13E-03	7.24E-05	-3.96E-02
ETP-fw <sup>1</sup>	[CTUe]	1.31E-03	3.97E-06	7.79E-05	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
HTP-c <sup>1</sup>	[CTUh]	1.60E-08	2.12E-11	3.58E-12	6.27E-13	1.39E-12	3.19E-11	2.43E-13	-8.91E-09
HTP-nc <sup>1</sup>	[CTUh]	1.95E-07	6.74E-10	1.36E-10	1.54E-11	6.40E-11	1.52E-09	7.47E-12	-3.75E-08
SQP <sup>1</sup>	-	ND	ND	ND	ND	ND	ND	ND	ND

PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater, total; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality (dimensionless)

Waste production and output flows per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
HWD	[kg]	3.37E-04	1.72E-06	7.69E-08	8.10E-08	1.71E-07	9.18E-07	2.42E-08	-7.53E-05
NHWD	[kg]	6.95E-01	5.52E-02	6.99E-03	3.60E-05	6.15E-03	8.96E-03	1.10E-01	6.14E-03
RWD	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	4.21E-02	0.00E+00	0.00E+00	8.90E-01	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	7.77E-02	0.00E+00	0.00E+00	1.10E-01	0.00E+00	0.00E+00
EE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EE = Exported energy)

## Environmental performance for Steel 3c: S250GD+275, t=1,50 mm

### Potential environmental impact per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
GWP-total	[kg CO <sub>2</sub> eq.]	1.87E+00	5.44E-02	1.44E-02	2.16E-03	4.51E-03	2.07E-02	5.81E-04	-1.05E+00
GWP-fossil	[kg CO <sub>2</sub> eq.]	1.86E+00	5.44E-02	1.32E-02	2.16E-03	4.51E-03	2.20E-02	5.79E-04	-1.05E+00
GWP-	[kg CO <sub>2</sub> eq.]	6.73E-03	1.68E-05	1.21E-03	6.01E-07	3.30E-06	-1.26E-03	1.15E-06	9.70E-04
GWP-luluc	[kg CO <sub>2</sub> eq.]	1.34E-03	2.37E-05	1.56E-05	1.70E-07	1.33E-06	2.46E-05	1.61E-07	-3.97E-04
ODP	[kg CFC 11]	1.27E-07	1.20E-08	4.18E-10	4.67E-10	1.07E-09	3.15E-09	2.39E-10	-4.86E-08
AP	[mol H <sup>+</sup> eq.]	2.68E-02	5.93E-04	4.39E-05	2.26E-05	2.30E-05	2.66E-04	5.50E-06	-5.35E-03
EP-freshwater	[kg PO <sub>4</sub> eq.]	1.35E-03	3.97E-06	7.98E-06	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
EP-marine	[kg N eq.]	2.58E-03	1.57E-04	9.75E-06	1.00E-05	7.87E-06	6.04E-05	1.90E-06	-1.12E-03
EP-terrestrial	[mol N eq.]	9.78E-02	1.74E-03	1.13E-04	1.10E-04	8.62E-05	6.81E-04	2.09E-05	-1.19E-02
POCP	[kg NMVOC eq.]	8.93E-03	4.85E-04	2.40E-05	3.01E-05	2.57E-05	1.86E-04	6.06E-06	-5.21E-03
ADPm <sup>1</sup>	[kg Sb eq.]	2.75E-03	8.19E-07	5.07E-08	3.32E-09	7.75E-08	1.22E-06	5.30E-09	-1.93E-05
ADPf <sup>1</sup>	[MJ]	2.23E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
WDP <sup>1</sup>	[m <sup>3</sup> ]	8.09E-01	2.61E-03	2.09E-03	3.99E-05	2.30E-04	3.07E-03	7.26E-04	-1.87E-01

GWP-total = Globale Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use

### Use of resources per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PERE	[MJ]	2.22E+00	8.17E-03	1.31E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PERM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	2.22E+00	8.17E-03	1.31E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PENRE	[MJ]	2.23E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	2.23E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
SM	[kg]	4.15E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m <sup>3</sup> ]	2.31E-02	8.77E-05	4.84E-04	1.53E-06	8.05E-06	1.44E-04	1.73E-05	-5.45E-03

PERE = Renewable primary energy resources used as energy carrier; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Non-renewable primary energy resources used as energy carrier; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water

\*from wood packaging

### Additional environmental impact per declared unit (ND = not declared)

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PM	[Disease incidence]	2.72E-07	4.17E-09	2.59E-10	5.98E-10	4.19E-10	3.36E-09	1.07E-10	-9.20E-08
IRP <sup>2</sup>	[kBq U235 eq.]	1.72E-01	3.78E-03	1.74E-03	1.35E-04	3.60E-04	3.13E-03	7.24E-05	-3.96E-02
ETP-fw <sup>1</sup>	[CTUe]	1.35E-03	3.97E-06	7.79E-05	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
HTP-c <sup>1</sup>	[CTUh]	1.60E-08	2.12E-11	3.58E-12	6.27E-13	1.39E-12	3.19E-11	2.43E-13	-8.91E-09
HTP-nc <sup>1</sup>	[CTUh]	2.00E-07	6.74E-10	1.36E-10	1.54E-11	6.40E-11	1.52E-09	7.47E-12	-3.75E-08
SQP <sup>1</sup>	-	ND	ND	ND	ND	ND	ND	ND	ND

PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater. total; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality (dimensionless)

### Waste production and output flows per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
HWD	[kg]	4.52E-04	1.72E-06	7.69E-08	8.10E-08	1.71E-07	9.18E-07	2.42E-08	-7.53E-05
NHWD	[kg]	6.95E-01	5.52E-02	6.99E-03	3.60E-05	6.15E-03	8.96E-03	1.10E-01	6.14E-03
RWD	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	4.21E-02	0.00E+00	0.00E+00	8.90E-01	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	7.77E-02	0.00E+00	0.00E+00	1.10E-01	0.00E+00	0.00E+00
EE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EE = Exported energy)



Environmental performance for Steel 4a: S350GD+Z275, t=1,0 mm

Potential environmental impact per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
GWP-total	[kg CO <sub>2</sub> eq.]	1.84E+00	5.44E-02	1.44E-02	2.16E-03	4.51E-03	2.07E-02	5.81E-04	-1.05E+00
GWP-fossil	[kg CO <sub>2</sub> eq.]	1.83E+00	5.44E-02	1.32E-02	2.16E-03	4.51E-03	2.20E-02	5.79E-04	-1.05E+00
GWP-	[kg CO <sub>2</sub> eq.]	5.83E-03	1.68E-05	1.21E-03	6.01E-07	3.30E-06	-1.26E-03	1.15E-06	9.70E-04
GWP-luluc	[kg CO <sub>2</sub> eq.]	1.26E-03	2.37E-05	1.56E-05	1.70E-07	1.33E-06	2.46E-05	1.61E-07	-3.97E-04
ODP	[kg CFC 11]	1.23E-07	1.20E-08	4.18E-10	4.67E-10	1.07E-09	3.15E-09	2.39E-10	-4.86E-08
AP	[mol H <sup>+</sup> eq.]	2.31E-02	5.93E-04	4.39E-05	2.26E-05	2.30E-05	2.66E-04	5.50E-06	-5.35E-03
EP-freshwater	[kg PO <sub>4</sub> eq.]	1.32E-03	3.97E-06	7.98E-06	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
EP-marine	[kg N eq.]	2.42E-03	1.57E-04	9.75E-06	1.00E-05	7.87E-06	6.04E-05	1.90E-06	-1.12E-03
EP-terrestrial	[mol N eq.]	8.20E-02	1.74E-03	1.13E-04	1.10E-04	8.62E-05	6.81E-04	2.09E-05	-1.19E-02
POCP	[kg NMVOC eq.]	8.80E-03	4.85E-04	2.40E-05	3.01E-05	2.57E-05	1.86E-04	6.06E-06	-5.21E-03
ADPm <sup>1</sup>	[kg Sb eq.]	2.21E-03	8.19E-07	5.07E-08	3.32E-09	7.75E-08	1.22E-06	5.30E-09	-1.93E-05
ADPf <sup>1</sup>	[MJ]	2.18E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
WDP <sup>1</sup>	[m <sup>3</sup> ]	7.82E-01	2.61E-03	2.09E-03	3.99E-05	2.30E-04	3.07E-03	7.26E-04	-1.87E-01

GWP-total = Globale Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use

Use of resources per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PERE	[MJ]	2.17E+00	8.17E-03	1.24E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PERM	[MJ]	0.00E+00	0.00E+00	7.43E-03*	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	2.17E+00	8.17E-03	1.31E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PENRE	[MJ]	2.18E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	2.18E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
SM	[kg]	4.18E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m <sup>3</sup> ]	2.23E-02	8.77E-05	4.84E-04	1.53E-06	8.05E-06	1.44E-04	1.73E-05	-5.45E-03

PERE = Renewable primary energy resources used as energy carrier; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Non-renewable primary energy resources used as energy carrier; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water

\*from wood packaging

Additional environmental impact per declared unit (ND = not declared)

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PM	[Disease incidence]	2.48E-07	4.17E-09	2.59E-10	5.98E-10	4.19E-10	3.36E-09	1.07E-10	-9.20E-08
IRP <sup>2</sup>	[kBq U235 eq.]	1.66E-01	3.78E-03	1.74E-03	1.35E-04	3.60E-04	3.13E-03	7.24E-05	-3.96E-02
ETP-fw <sup>1</sup>	[CTUe]	1.32E-03	3.97E-06	7.79E-05	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
HTP-c <sup>1</sup>	[CTUh]	1.60E-08	2.12E-11	3.58E-12	6.27E-13	1.39E-12	3.19E-11	2.43E-13	-8.91E-09
HTP-nc <sup>1</sup>	[CTUh]	1.97E-07	6.74E-10	1.36E-10	1.54E-11	6.40E-11	1.52E-09	7.47E-12	-3.75E-08
SQP <sup>1</sup>	-	ND	ND	ND	ND	ND	ND	ND	ND

PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater. total; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality (dimensionless)

Waste production and output flows per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
HWD	[kg]	3.83E-04	1.72E-06	7.69E-08	8.10E-08	1.71E-07	9.18E-07	2.42E-08	-7.53E-05
NHWD	[kg]	6.95E-01	5.52E-02	6.99E-03	3.60E-05	6.15E-03	8.96E-03	1.10E-01	6.14E-03
RWD	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	4.21E-02	0.00E+00	0.00E+00	8.90E-01	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	7.77E-02	0.00E+00	0.00E+00	1.10E-01	0.00E+00	0.00E+00
EE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EE = Exported energy)

Environmental performance for Steel 4b: S350GD+Z275, t=1,25 mm

Potential environmental impact per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
GWP-total	[kg CO <sub>2</sub> eq.]	1.82E+00	5.44E-02	1.44E-02	2.16E-03	4.51E-03	2.07E-02	5.81E-04	-1.05E+00
GWP-fossil	[kg CO <sub>2</sub> eq.]	1.81E+00	5.44E-02	1.32E-02	2.16E-03	4.51E-03	2.20E-02	5.79E-04	-1.05E+00
GWP-	[kg CO <sub>2</sub> eq.]	5.23E-03	1.68E-05	1.21E-03	6.01E-07	3.30E-06	-1.26E-03	1.15E-06	9.70E-04
GWP-luluc	[kg CO <sub>2</sub> eq.]	1.20E-03	2.37E-05	1.56E-05	1.70E-07	1.33E-06	2.46E-05	1.61E-07	-3.97E-04
ODP	[kg CFC 11]	1.20E-07	1.20E-08	4.18E-10	4.67E-10	1.07E-09	3.15E-09	2.39E-10	-4.86E-08
AP	[mol H <sup>+</sup> eq.]	2.07E-02	5.93E-04	4.39E-05	2.26E-05	2.30E-05	2.66E-04	5.50E-06	-5.35E-03
EP-freshwater	[kg PO <sub>4</sub> eq.]	1.31E-03	3.97E-06	7.98E-06	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
EP-marine	[kg N eq.]	2.32E-03	1.57E-04	9.75E-06	1.00E-05	7.87E-06	6.04E-05	1.90E-06	-1.12E-03
EP-terrestrial	[mol N eq.]	7.15E-02	1.74E-03	1.13E-04	1.10E-04	8.62E-05	6.81E-04	2.09E-05	-1.19E-02
POCP	[kg NMVOC eq.]	8.71E-03	4.85E-04	2.40E-05	3.01E-05	2.57E-05	1.86E-04	6.06E-06	-5.21E-03
ADPm <sup>1</sup>	[kg Sb eq.]	1.84E-03	8.19E-07	5.07E-08	3.32E-09	7.75E-08	1.22E-06	5.30E-09	-1.93E-05
ADPf <sup>1</sup>	[MJ]	2.15E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
WDP <sup>1</sup>	[m <sup>3</sup> ]	7.63E-01	2.61E-03	2.09E-03	3.99E-05	2.30E-04	3.07E-03	7.26E-04	-1.87E-01

GWP-total = Globale Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use

Use of resources per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PERE	[MJ]	2.14E+00	8.17E-03	1.24E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PERM	[MJ]	0.00E+00	0.00E+00	7.43E-03*	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	2.14E+00	8.17E-03	1.31E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PENRE	[MJ]	2.15E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	2.15E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
SM	[kg]	4.20E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m <sup>3</sup> ]	2.17E-02	8.77E-05	4.84E-04	1.53E-06	8.05E-06	1.44E-04	1.73E-05	-5.45E-03

PERE = Renewable primary energy resources used as energy carrier; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Non-renewable primary energy resources used as energy carrier; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water

\*from wood packaging

Additional environmental impact per declared unit (ND = not declared)

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PM	[Disease incidence]	2.32E-07	4.17E-09	2.59E-10	5.98E-10	4.19E-10	3.36E-09	1.07E-10	-9.20E-08
IRP <sup>2</sup>	[kBq U235 eq.]	1.62E-01	3.78E-03	1.74E-03	1.35E-04	3.60E-04	3.13E-03	7.24E-05	-3.96E-02
ETP-fw <sup>1</sup>	[CTUe]	1.31E-03	3.97E-06	7.79E-05	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
HTP-c <sup>1</sup>	[CTUh]	1.60E-08	2.12E-11	3.58E-12	6.27E-13	1.39E-12	3.19E-11	2.43E-13	-8.91E-09
HTP-nc <sup>1</sup>	[CTUh]	1.95E-07	6.74E-10	1.36E-10	1.54E-11	6.40E-11	1.52E-09	7.47E-12	-3.75E-08
SQP <sup>1</sup>	-	ND	ND	ND	ND	ND	ND	ND	ND

PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater, total; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality (dimensionless)

Waste production and output flows per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
HWD	[kg]	3.37E-04	1.72E-06	7.69E-08	8.10E-08	1.71E-07	9.18E-07	2.42E-08	-7.53E-05
NHWD	[kg]	6.95E-01	5.52E-02	6.99E-03	3.60E-05	6.15E-03	8.96E-03	1.10E-01	6.14E-03
RWD	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	4.21E-02	0.00E+00	0.00E+00	8.90E-01	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	7.77E-02	0.00E+00	0.00E+00	1.10E-01	0.00E+00	0.00E+00
EE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EE = Exported energy)

Environmental performance for Steel 4c: S350GD+Z275, t=1,50 mm

Potential environmental impact per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
GWP-total	[kg CO <sub>2</sub> eq.]	1.80E+00	5.44E-02	1.44E-02	2.16E-03	4.51E-03	2.07E-02	5.81E-04	-1.05E+00
GWP-fossil	[kg CO <sub>2</sub> eq.]	1.79E+00	5.44E-02	1.32E-02	2.16E-03	4.51E-03	2.20E-02	5.79E-04	-1.05E+00
GWP-	[kg CO <sub>2</sub> eq.]	4.48E-03	1.68E-05	1.21E-03	6.01E-07	3.30E-06	-1.26E-03	1.15E-06	9.70E-04
GWP-luluc	[kg CO <sub>2</sub> eq.]	1.13E-03	2.37E-05	1.56E-05	1.70E-07	1.33E-06	2.46E-05	1.61E-07	-3.97E-04
ODP	[kg CFC 11]	1.17E-07	1.20E-08	4.18E-10	4.67E-10	1.07E-09	3.15E-09	2.39E-10	-4.86E-08
AP	[mol H <sup>+</sup> eq.]	1.76E-02	5.93E-04	4.39E-05	2.26E-05	2.30E-05	2.66E-04	5.50E-06	-5.35E-03
EP-freshwater	[kg PO <sub>4</sub> eq.]	1.28E-03	3.97E-06	7.98E-06	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
EP-marine	[kg N eq.]	2.19E-03	1.57E-04	9.75E-06	1.00E-05	7.87E-06	6.04E-05	1.90E-06	-1.12E-03
EP-terrestrial	[mol N eq.]	5.84E-02	1.74E-03	1.13E-04	1.10E-04	8.62E-05	6.81E-04	2.09E-05	-1.19E-02
POCP	[kg NMVOC eq.]	8.60E-03	4.85E-04	2.40E-05	3.01E-05	2.57E-05	1.86E-04	6.06E-06	-5.21E-03
ADPm <sup>1</sup>	[kg Sb eq.]	1.39E-03	8.19E-07	5.07E-08	3.32E-09	7.75E-08	1.22E-06	5.30E-09	-1.93E-05
ADPf <sup>1</sup>	[MJ]	2.11E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
WDP <sup>1</sup>	[m <sup>3</sup> ]	7.40E-01	2.61E-03	2.09E-03	3.99E-05	2.30E-04	3.07E-03	7.26E-04	-1.87E-01

GWP-total = Globale Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication - aquatic freshwater; EP-marine = Eutrophication - aquatic marine; EP-terrestrial = Eutrophication - terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential - minerals and metals; ADPf = Abiotic Depletion Potential - fossil fuels; WDP = water use

Use of resources per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PERE	[MJ]	2.10E+00	8.17E-03	1.24E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PERM	[MJ]	0.00E+00	0.00E+00	7.43E-03*	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	2.10E+00	8.17E-03	1.31E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PENRE	[MJ]	2.11E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	2.11E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
SM	[kg]	4.22E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m <sup>3</sup> ]	2.10E-02	8.77E-05	4.84E-04	1.53E-06	8.05E-06	1.44E-04	1.73E-05	-5.45E-03

PERE = Renewable primary energy resources used as energy carrier; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Non-renewable primary energy resources used as energy carrier; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water

\*from wood packaging

Additional environmental impact per declared unit (ND = not declared)

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PM	[Disease incidence]	2.12E-07	4.17E-09	2.59E-10	5.98E-10	4.19E-10	3.36E-09	1.07E-10	-9.20E-08
IRP <sup>2</sup>	[kBq U235 eq.]	1.57E-01	3.78E-03	1.74E-03	1.35E-04	3.60E-04	3.13E-03	7.24E-05	-3.96E-02
ETP-fw <sup>1</sup>	[CTUe]	1.28E-03	3.97E-06	7.79E-05	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
HTP-c <sup>1</sup>	[CTUh]	1.59E-08	2.12E-11	3.58E-12	6.27E-13	1.39E-12	3.19E-11	2.43E-13	-8.91E-09
HTP-nc <sup>1</sup>	[CTUh]	1.92E-07	6.74E-10	1.36E-10	1.54E-11	6.40E-11	1.52E-09	7.47E-12	-3.75E-08
SQP <sup>1</sup>	-	ND	ND	ND	ND	ND	ND	ND	ND

PM = Particulate Matter emissions; IRP = Ionizing radiation - human health; ETP-fw = Eco toxicity - freshwater. total; HTP-c = Human toxicity - cancer effects; HTP-nc = Human toxicity - non cancer effects; SQP = Soil Quality (dimensionless)

Waste production and output flows per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
HWD	[kg]	2.79E-04	1.72E-06	7.69E-08	8.10E-08	1.71E-07	9.18E-07	2.42E-08	-7.53E-05
NHWD	[kg]	6.95E-01	5.52E-02	6.99E-03	3.60E-05	6.15E-03	8.96E-03	1.10E-01	6.14E-03
RWD	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	4.21E-02	0.00E+00	0.00E+00	8.90E-01	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	7.77E-02	0.00E+00	0.00E+00	1.10E-01	0.00E+00	0.00E+00
EE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EE = Exported energy)

Environmental performance for Steel 4d: S350GD+Z275, t=2,0 mm

Potential environmental impact per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
GWP-total	[kg CO <sub>2</sub> eq.]	1.78E+00	5.44E-02	1.44E-02	2.16E-03	4.51E-03	2.07E-02	5.81E-04	-1.05E+00
GWP-fossil	[kg CO <sub>2</sub> eq.]	1.78E+00	5.44E-02	1.32E-02	2.16E-03	4.51E-03	2.20E-02	5.79E-04	-1.05E+00
GWP-	[kg CO <sub>2</sub> eq.]	4.03E-03	1.68E-05	1.21E-03	6.01E-07	3.30E-06	-1.26E-03	1.15E-06	9.70E-04
GWP-luluc	[kg CO <sub>2</sub> eq.]	1.09E-03	2.37E-05	1.56E-05	1.70E-07	1.33E-06	2.46E-05	1.61E-07	-3.97E-04
ODP	[kg CFC 11]	1.15E-07	1.20E-08	4.18E-10	4.67E-10	1.07E-09	3.15E-09	2.39E-10	-4.86E-08
AP	[mol H <sup>+</sup> eq.]	1.58E-02	5.93E-04	4.39E-05	2.26E-05	2.30E-05	2.66E-04	5.50E-06	-5.35E-03
EP-freshwater	[kg PO <sub>4</sub> eq.]	1.27E-03	3.97E-06	7.98E-06	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
EP-marine	[kg N eq.]	2.11E-03	1.57E-04	9.75E-06	1.00E-05	7.87E-06	6.04E-05	1.90E-06	-1.12E-03
EP-terrestrial	[mol N eq.]	5.05E-02	1.74E-03	1.13E-04	1.10E-04	8.62E-05	6.81E-04	2.09E-05	-1.19E-02
POCP	[kg NMVOC eq.]	8.54E-03	4.85E-04	2.40E-05	3.01E-05	2.57E-05	1.86E-04	6.06E-06	-5.21E-03
ADPm <sup>1</sup>	[kg Sb eq.]	1.12E-03	8.19E-07	5.07E-08	3.32E-09	7.75E-08	1.22E-06	5.30E-09	-1.93E-05
ADPF <sup>1</sup>	[MJ]	2.09E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
WDP <sup>1</sup>	[m <sup>3</sup> ]	7.27E-01	2.61E-03	2.09E-03	3.99E-05	2.30E-04	3.07E-03	7.26E-04	-1.87E-01

GWP-total = Globale Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication - aquatic freshwater, EP-marine = Eutrophication - aquatic marine; EP-terrestrial = Eutrophication - terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential - minerals and metals; ADPF = Abiotic Depletion Potential - fossil fuels; WDP = water use

Use of resources per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PERE	[MJ]	2.08E+00	8.17E-03	1.24E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PERM	[MJ]	0.00E+00	0.00E+00	7.43E-03*	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	2.08E+00	8.17E-03	1.31E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PENRE	[MJ]	2.09E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	2.09E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
SM	[kg]	4.24E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m <sup>3</sup> ]	2.06E-02	8.77E-05	4.84E-04	1.53E-06	8.05E-06	1.44E-04	1.73E-05	-5.45E-03

PERE = Renewable primary energy resources used as energy carrier; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Non-renewable primary energy resources used as energy carrier; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water

\*from wood packaging

Additional environmental impact per declared unit (ND = not declared)

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PM	[Disease incidence]	2.00E-07	4.17E-09	2.59E-10	5.98E-10	4.19E-10	3.36E-09	1.07E-10	-9.20E-08
IRP <sup>2</sup>	[kBq U235 eq.]	1.54E-01	3.78E-03	1.74E-03	1.35E-04	3.60E-04	3.13E-03	7.24E-05	-3.96E-02
ETP-fw <sup>1</sup>	[CTUe]	1.27E-03	3.97E-06	7.79E-05	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
HTP-c <sup>1</sup>	[CTUh]	1.59E-08	2.12E-11	3.58E-12	6.27E-13	1.39E-12	3.19E-11	2.43E-13	-8.91E-09
HTP-nc <sup>1</sup>	[CTUh]	1.91E-07	6.74E-10	1.36E-10	1.54E-11	6.40E-11	1.52E-09	7.47E-12	-3.75E-08
SQP <sup>1</sup>	-	ND	ND	ND	ND	ND	ND	ND	ND

PM = Particulate Matter emissions; IRP = Ionizing radiation - human health; ETP-fw = Eco toxicity - freshwater, total; HTP-c = Human toxicity - cancer effects; HTP-nc = Human toxicity - non cancer effects; SQP = Soil Quality (dimensionless)

Waste production and output flows per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
HWD	[kg]	2.45E-04	1.72E-06	7.69E-08	8.10E-08	1.71E-07	9.18E-07	2.42E-08	-7.53E-05
NHWD	[kg]	6.94E-01	5.52E-02	6.99E-03	3.60E-05	6.15E-03	8.96E-03	1.10E-01	6.14E-03
RWD	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	4.21E-02	0.00E+00	0.00E+00	8.90E-01	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	7.77E-02	0.00E+00	0.00E+00	1.10E-01	0.00E+00	0.00E+00
EE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EE = Exported energy)

Environmental performance for Steel 4e: S350GD+Z275, t=2,5 mm

Potential environmental impact per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
GWP-total	[kg CO <sub>2</sub> eq.]	1.77E+00	5.44E-02	1.44E-02	2.16E-03	4.51E-03	2.07E-02	5.81E-04	-1.05E+00
GWP-fossil	[kg CO <sub>2</sub> eq.]	1.77E+00	5.44E-02	1.32E-02	2.16E-03	4.51E-03	2.20E-02	5.79E-04	-1.05E+00
GWP-	[kg CO <sub>2</sub> eq.]	3.74E-03	1.68E-05	1.21E-03	6.01E-07	3.30E-06	-1.26E-03	1.15E-06	9.70E-04
GWP-luluc	[kg CO <sub>2</sub> eq.]	1.06E-03	2.37E-05	1.56E-05	1.70E-07	1.33E-06	2.46E-05	1.61E-07	-3.97E-04
ODP	[kg CFC 11]	1.13E-07	1.20E-08	4.18E-10	4.67E-10	1.07E-09	3.15E-09	2.39E-10	-4.86E-08
AP	[mol H <sup>+</sup> eq.]	1.46E-02	5.93E-04	4.39E-05	2.26E-05	2.30E-05	2.66E-04	5.50E-06	-5.35E-03
EP-freshwater	[kg PO <sub>4</sub> eq.]	1.26E-03	3.97E-06	7.98E-06	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
EP-marine	[kg N eq.]	2.06E-03	1.57E-04	9.75E-06	1.00E-05	7.87E-06	6.04E-05	1.90E-06	-1.12E-03
EP-terrestrial	[mol N eq.]	4.53E-02	1.74E-03	1.13E-04	1.10E-04	8.62E-05	6.81E-04	2.09E-05	-1.19E-02
POCP	[kg NMVOC eq.]	8.49E-03	4.85E-04	2.40E-05	3.01E-05	2.57E-05	1.86E-04	6.06E-06	-5.21E-03
ADPm <sup>1</sup>	[kg Sb eq.]	9.35E-04	8.19E-07	5.07E-08	3.32E-09	7.75E-08	1.22E-06	5.30E-09	-1.93E-05
ADPf <sup>1</sup>	[MJ]	2.07E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
WDP <sup>1</sup>	[m <sup>3</sup> ]	7.18E-01	2.61E-03	2.09E-03	3.99E-05	2.30E-04	3.07E-03	7.26E-04	-1.87E-01

GWP-total = Globale Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use

Use of resources per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PERE	[MJ]	2.07E+00	8.17E-03	1.24E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PERM	[MJ]	0.00E+00	0.00E+00	7.43E-03*	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	2.07E+00	8.17E-03	1.31E-01	1.61E-04	8.91E-04	4.78E-02	1.31E-04	-1.10E+00
PENRE	[MJ]	2.07E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
PENRM	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRT	[MJ]	2.07E+01	8.03E-01	1.52E-01	2.98E-02	7.06E-02	3.04E-01	1.62E-02	-1.05E+01
SM	[kg]	4.25E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m <sup>3</sup> ]	2.04E-02	8.77E-05	4.84E-04	1.53E-06	8.05E-06	1.44E-04	1.73E-05	-5.45E-03

PERE = Renewable primary energy resources used as energy carrier; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Non-renewable primary energy resources used as energy carrier; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water

\*from wood packaging

Additional environmental impact per declared unit (ND = not declared)

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PM	[Disease incidence]	1.92E-07	4.17E-09	2.59E-10	5.98E-10	4.19E-10	3.36E-09	1.07E-10	-9.20E-08
IRP <sup>2</sup>	[kBq U235 eq.]	1.52E-01	3.78E-03	1.74E-03	1.35E-04	3.60E-04	3.13E-03	7.24E-05	-3.96E-02
ETP-fw <sup>1</sup>	[CTUe]	1.26E-03	3.97E-06	7.79E-05	7.76E-08	3.22E-07	1.86E-05	5.95E-08	-7.93E-04
HTP-c <sup>1</sup>	[CTUh]	1.59E-08	2.12E-11	3.58E-12	6.27E-13	1.39E-12	3.19E-11	2.43E-13	-8.91E-09
HTP-nc <sup>1</sup>	[CTUh]	1.90E-07	6.74E-10	1.36E-10	1.54E-11	6.40E-11	1.52E-09	7.47E-12	-3.75E-08
SQP <sup>1</sup>	-	ND	ND	ND	ND	ND	ND	ND	ND

PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater, total; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality (dimensionless)

Waste production and output flows per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
HWD	[kg]	2.22E-04	1.72E-06	7.69E-08	8.10E-08	1.71E-07	9.18E-07	2.42E-08	-7.53E-05
NHWD	[kg]	6.94E-01	5.52E-02	6.99E-03	3.60E-05	6.15E-03	8.96E-03	1.10E-01	6.14E-03
RWD	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	4.21E-02	0.00E+00	0.00E+00	8.90E-01	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	7.77E-02	0.00E+00	0.00E+00	1.10E-01	0.00E+00	0.00E+00
EE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EE = Exported energy)

Environmental performance for Steel 4f: S350GD+Z275, t=3,0 mm

Potential environmental impact per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
GWP-total	[kg CO <sub>2</sub> eq.]	1,77E+00	5,44E-02	2,41E-01	2,16E-03	4,51E-03	2,07E-02	5,81E-04	-1,05E+00
GWP-fossil	[kg CO <sub>2</sub> eq.]	1,77E+00	5,44E-02	2,67E-01	2,16E-03	4,51E-03	2,20E-02	5,79E-04	-1,05E+00
GWP-	[kg CO <sub>2</sub> eq.]	3,74E-03	1,68E-05	-2,64E-02	6,01E-07	3,30E-06	-1,26E-03	1,15E-06	9,70E-04
GWP-luluc	[kg CO <sub>2</sub> eq.]	1,06E-03	2,37E-05	2,69E-04	1,70E-07	1,33E-06	2,46E-05	1,61E-07	-3,97E-04
ODP	[kg CFC 11]	1,13E-07	1,20E-08	3,59E-08	4,67E-10	1,07E-09	3,15E-09	2,39E-10	-4,86E-08
AP	[mol H <sup>+</sup> eq.]	1,46E-02	5,93E-04	2,58E-03	2,26E-05	2,30E-05	2,66E-04	5,50E-06	-5,35E-03
EP-freshwater	[kg PO <sub>4</sub> eq.]	1,26E-03	3,97E-06	7,79E-05	7,76E-08	3,22E-07	1,86E-05	5,95E-08	-7,93E-04
EP-marine	[kg N eq.]	2,06E-03	1,57E-04	4,68E-04	1,00E-05	7,87E-06	6,04E-05	1,90E-06	-1,12E-03
EP-terrestrial	[mol N eq.]	4,53E-02	1,74E-03	9,12E-03	1,10E-04	8,62E-05	6,81E-04	2,09E-05	-1,19E-02
POCP	[kg NMVOC eq.]	8,49E-03	4,85E-04	1,64E-03	3,01E-05	2,57E-05	1,86E-04	6,06E-06	-5,21E-03
ADPm <sup>1</sup>	[kg Sb eq.]	9,35E-04	8,19E-07	1,68E-04	3,32E-09	7,75E-08	1,22E-06	5,30E-09	-1,93E-05
ADPf <sup>1</sup>	[MJ]	2,07E+01	8,03E-01	3,67E+00	2,98E-02	7,06E-02	3,04E-01	1,62E-02	-1,05E+01
WDP <sup>1</sup>	[m <sup>3</sup> ]	7,18E-01	2,61E-03	6,88E-02	3,99E-05	2,30E-04	3,07E-03	7,26E-04	-1,87E-01

GWP-total = Globale Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use

Use of resources per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PERE	[MJ]	2,07E+00	8,17E-03	1,24E-01	1,61E-04	8,91E-04	4,78E-02	1,31E-04	-1,10E+00
PERM	[MJ]	0,00E+00	0,00E+00	7,43E-03*	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	[MJ]	2,07E+00	8,17E-03	1,31E-01	1,61E-04	8,91E-04	4,78E-02	1,31E-04	-1,10E+00
PENRE	[MJ]	2,07E+01	8,03E-01	1,52E-01	2,98E-02	7,06E-02	3,04E-01	1,62E-02	-1,05E+01
PENRM	[MJ]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRT	[MJ]	2,07E+01	8,03E-01	1,52E-01	2,98E-02	7,06E-02	3,04E-01	1,62E-02	-1,05E+01
SM	[kg]	4,25E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
RSF	[MJ]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NRSF	[MJ]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	[m <sup>3</sup> ]	2,04E-02	8,77E-05	4,84E-04	1,53E-06	8,05E-06	1,44E-04	1,73E-05	-5,45E-03

PERE = Renewable primary energy resources used as energy carrier; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Non-renewable primary energy resources used as energy carrier; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water

\*from wood packaging

Additional environmental impact per declared unit (ND = not declared)

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
PM	[Disease incidence]	1,92E-07	4,17E-09	3,63E-08	5,98E-10	4,19E-10	3,36E-09	1,07E-10	-9,20E-08
IRP <sup>2</sup>	[kBq U235 eq.]	1,52E-01	3,78E-03	1,95E-02	1,35E-04	3,60E-04	3,14E-03	7,24E-05	-3,96E-02
ETP-fw <sup>1</sup>	[CTUe]	8,22E+01	6,58E-01	7,07E+00	1,79E-02	5,63E-02	1,31E+00	1,05E-02	-5,39E+01
HTP-c <sup>1</sup>	[CTUh]	1,59E-08	2,12E-11	4,66E-10	6,27E-13	1,39E-12	3,19E-11	2,43E-13	-8,90E-09
HTP-nc <sup>1</sup>	[CTUh]	1,90E-07	6,74E-10	6,42E-09	1,54E-11	6,40E-11	1,52E-09	7,47E-12	-3,80E-08
SQP <sup>1</sup>	-	ND	ND	ND	ND	ND	ND	ND	ND

PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater, total; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality (dimensionless)

Waste production and output flows per declared unit

Parameter	Unit	A1	A2	A3	C1	C2	C3	C4	D
HWD	[kg]	2,22E-04	1,72E-06	7,69E-08	8,10E-08	1,71E-07	9,18E-07	2,42E-08	-7,53E-05
NHWD	[kg]	6,94E-01	5,52E-02	6,99E-03	3,60E-05	6,15E-03	8,96E-03	1,10E-01	6,14E-03
RWD	[kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
CRU	[kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
MFR	[kg]	0,00E+00	0,00E+00	4,21E-02	0,00E+00	0,00E+00	8,90E-01	0,00E+00	0,00E+00
MER	[kg]	0,00E+00	0,00E+00	7,77E-02	0,00E+00	0,00E+00	1,10E-01	0,00E+00	0,00E+00
EE	[MJ]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00

HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EE = Exported energy)

Biogenic carbon content per unit		
Parameter	Unit	At the factory gate
Biogenic carbon content in product	[kg C]	0
Biogenic carbon content in accompanying packaging	[kg C]	1.5E-04
Note	1 kg biogenic carbon is equivalent to 44/12 kg of CO <sub>2</sub>	

## Additional information

### Technical information on scenarios

#### End of life (C1-C4)

Scenario information	Value	Unit
Collected separately	-	kg
Collected with mixed waste	-	kg
For reuse	-	kg
For recycling	0,89	kg
For energy recovery	0,11	kg
For final disposal	-	kg
Assumptions for scenario development	-	As appropriate

#### Re-use, recovery and recycling potential (D)

Scenario information/Materiel	Value	Unit
Scrap steel	0,46	kg


#### Indoor air

*The EPD does not give information on release of dangerous substances to indoor air because the horizontal standards on measurement of release of regulated dangerous substances from construction products using harmonized test methods according to the provisions of the respective technical committees for European product standards are not available.*

#### Soil and water

*The EPD does not give information on release of dangerous substances to soil and water because the horizontal standards on measurement of release of regulated dangerous substances from construction products using harmonized test methods according to the provisions of the respective technical committees for European product standards are not available.*

## References

<b>Publisher</b>	 <a href="http://www.epddanmark.dk">www.epddanmark.dk</a>
<b>Program operator</b>	Danish Technological Institute Buildings & Environment Gregersensvej DK-2630 Taastrup <a href="http://www.teknologisk.dk">www.teknologisk.dk</a>
<b>LCA-practitioner</b>	Elisabeth Balle Herschend og Camilla Nørskov Flensted-Jensen Nørskov Miljø Ganløseparken 17 3660 Stenløse <a href="mailto:ebh@norskov.dk">ebh@norskov.dk</a>
<b>LCA software /background data</b>	Simapro version 9.2.0.2 Ecoinvent 3.6 – allocation, cut-off by classification – unit.
<b>3<sup>rd</sup> party verifier</b>	Ninkie Bendtsen NIRAS A/S Sortemosevej 19 3450 Allerød

### General program instructions

Version 2.0

[www.epddanmark.dk](http://www.epddanmark.dk)

### EN 15804

DS/EN 15804:2012 + A2:2019 - "Sustainability of construction works – Environmental product declarations – Core rules for the product category of construction products"

### Product specific cPCR

Product category rules: PRC 2019:14 Construction products, Version 1.0, date 2019-12-20

### EN 15942

DS/EN 15942:2011 – " Sustainability of construction works – Environmental product declarations – Communication format business-to-business"

### ISO 14025

DS/EN ISO 14025:2010 – " Environmental labels and declarations – Type III environmental declarations – Principles and procedures"



---

**ISO 14040**

DS/EN ISO 14040:2008 – "Environmental management – Life cycle assessment – Principles and framework"

**ISO 14044**

DS/EN ISO 14044:2008 – "Environmental management – Life cycle assessment – Requirements and guidelines"

ISO 9224:2012

DS/EN ISO 9224:2012 – "Korrosion af metaller og legeringer – Atmosfærens korrosivitet – Vejledende værdier for korrosivitetskategorier"