

Knauf Clip-In Profile

Technical Data Sheet 12/2023



Knauf Clip-In Profile

Profile

Product Description

Concealed components used in modular suspended ceiling systems.

Storage

- Profiles are tied and packed on pallets.
- Direct contact with water should be avoided.
- Packages should be stored in flat, dry and clean areas.

Standard referred to

-

Fields of Application

- Modular suspended ceiling systems

Properties

- Clean and easy installation

Technical Data

| Description | | Thickness (mm) | Weight (kg/m) | Height (mm) | Length (mm) | Packaging (pcs./bundle) |
|-----------------|--------|----------------|---------------|-------------|-------------|-------------------------|
| Clip-In Profile | Type-1 | 0,6 | 0,5 | 38,5 | 4000 | 10 |
| | Type-2 | 0,5 | 0,41 | 40 | | 40 |
| | Type-3 | 0,45 | 0,32 | 24 | | 40 |

System Performance Values

Performance values as sound insulation, fire resistance etc. may differ acc. to the drywall system to be applied. Please check the performance values of the drywall systems;

[Knauf Technical Website](#)
[Document Center](#)

Application

Application should be done acc. to the applicable standards and acc. to the Knauf Technical Brochures of the respective drywall system.

▶ 444 YAPI - 9274

▶ www.knauf.com.tr / www.teknik.knauf.com.tr

▶ teknik@knauf.com

Center: Knauf Moment Beştepe Office, Beştepe Mah. 32.Cadde No:1/212-218 06560 Beştepe-Yenimahalle
/ ANKARA Tel: 0312 297 0100 Faks: 0312 266 4506