


## Plaster Corner Bead

Technical Data Sheet 12/2023



# Plaster Corner Bead

## Profile

### Product Description

Components used in plaster applications to protect outer corners from any deformations caused by impacts and to provide smooth corners.

#### Storage

- Profiles are tied and packed on pallets.
- Direct contact with water should be avoided
- Packages should be stored in flat, dry and clean areas.

#### Standards referred to

TS EN 13658-1

### Fields of Application

- Wall and ceiling outer corner which will be plastered.

### General Data

Description		Thickness (mm)	Weight (kg/m)	Width (mm)	Height (mm)	Length (mm)
Plaster Corner Bead	Steel- U	0,5	0,117	35	35	2700
	Steel- V					
Plaster Corner Bead	Aluminium		0,050			

### Product Range

Description		Packaging (pcs./package)	Material Number
Plaster Corner Bead	Steel- U	100	147362
	Steel- V		147363
Plaster Corner Bead	Aluminium	25	240744

### System Performance Values

Performance values as sound insulation, fire resistance etc. may differ acc. to the drywall system to be applied. Please check the performance values of the drywall systems;

[Knauf Technical Website](#)

[Document Center](#)

### Application

Application should be done acc. to the applicable standards and acc. to the Knauf Technical Brochures of the respective drywall system.

▶ 444 YAPI - 9274

▶ [www.knauf.com.tr](http://www.knauf.com.tr) / [www.teknik.knauf.com.tr](http://www.teknik.knauf.com.tr)

▶ [teknik@knauf.com](mailto:teknik@knauf.com)

Center: Knauf Moment Beştepe Office, Beştepe Mah. 32.Cadde No:1/212-218 06560 Beştepe-Yenimahalle / ANKARA Tel: 0312 297 0100 Faks: 0312 266 4506