


Knauf Nonius Hanger Upper Part

Technical Data Sheet 12/2023



Knauf Nonius Hanger Upper Part

Hanger element

Product Description

Hanger used for fixing the suspended ceiling system to the structural soffit.

Storage

- Direct contact with water should be avoided.
- Packages should be stored in flat, dry and clean areas.

Standards referred to

-

Fields of Application

- Suspended Ceiling Systems

Properties

- Clean and easy installation

Technical Data

Description	Length (cm)	Thickness (mm)	Weight (kg/pcs.)	Packaging Unit (pcs./pallet)	Material Number
Knauf Nonius Hanger Upper Part	20	1	0,038	50	151583
	40		0,075		162444
	60		0,115		151584
	80		0,150		159601
	100		0,190		156123
	120		0,225		151585
	140		0,265		172539
	160		0,300		159603
	200		0,375		151586
	300		0,579		151587
	400		0,762		161841

System Performance Values

Performance values as sound insulation, fire resistance etc. may differ acc. to the drywall system to be applied. Please check the performance values of the drywall systems;

[Knauf Technical Website](#)
[Document Center](#)

Application

Application should be done acc. to the Knauf Technical Brochures of the respective drywall system.

▶ 444 YAPI - 9274

▶ www.knauf.com.tr / www.teknik.knauf.com.tr

▶ teknik@knauf.com

Center: Knauf Moment Beştepe Office, Beştepe Mah. 32.Cadde No:1/212-218 06560 Beştepe-Yenimahalle / ANKARA Tel: 0312 297 0100 Faks: 0312 266 4506