

Access Panel with Hinge



Access Panel with Hinge

Access panel

Product Description

Panel used to allow easy access to areas in need of interference with the ability of opening to both sides.

Standards referred to

-

Fields of Application

- Single and double layer gypsum board suspended ceiling systems
- Single and double layer gypsum board partition wall systems
- Single and double layer gypsum board wall cladding systems

General Data

Description	Gypsum board type	Width x Length (cm)	Packaging (pcs./box)	Material Number
Access Panel with Hinge	12,5 mm RP/WR Gypsum 2x12,5 mm RP/WR Gypsum	30x30 cm	2 pieces	141325
		30x40 cm		141326
		30x50 cm		141327
		30x60 cm		141328
		30x100 cm		141330
		40x40 cm		141335
		40x50 cm		141336
		40x60 cm		141337
		40x70 cm		141338
		40x80 cm		141339
		40x90 cm		141340
		40x100 cm		141341
		40x120 cm		141342
		50x50 cm		141350
		50x60 cm		141351
		50x70 cm		141352
		50x80 cm		141353
		50x100 cm		141354
		60x60 cm		141360
		60x80 cm		141362
60x90 cm	141363			
60x100 cm	141364			
60x120 cm	141365			

System Performance Values

Performance values as sound insulation, fire resistance etc. may differ acc. to the drywall system to be applied. Please check the performance values of the drywall systems;

[Knauf Technical Website](#)
[Document Center](#)

Application

Application should be done acc. to the applicable standards (TS 1475) and acc. to the Knauf Technical Brochures of the respective drywall system.

▶ 444 YAPI - 9274

▶ www.knauf.com.tr / www.teknik.knauf.com.tr

▶ teknik@knauf.com

Center: Knauf Moment Beştepe Office, Beştepe Mah. 32.Cadde No:1/212-218 06560 Beştepe-Yenimahalle
/ ANKARA Tel: 0312 297 0100 Faks: 0312 266 4506