

Driva Plus TP12 Gypsum Board Dowel

Technical Data Sheet 12/2023



Driva Plus TP12 Gypsum Board Dowel

Dowel

Product Description

Self drilling dowel anchored in single layer gypsum board for carrying console loads.

- Load bearing capacity 12 kg on ceilings
- Load bearing capacity 28 kg on walls

Referans Standart

EN 14566

Fields of Application

- Console loads on partition walls
- Console loads on suspended ceilings
- Console loads on wall cladding

Properties

- Clean and easy installation

Technical Data

Description	Diameter (mm)	Length (mm)	Thickness (mm)	Weight (kg/box)	Standard	Packaging Unit (pcs./box)	Material Number
Driva Plus TP12 Gypsum Board Dowel	16	39	12,5	0,65	EN 14566	100	149776

System Performance Values

Performance values as sound insulation, fire resistance etc. may differ acc. to the drywall system to be applied. Please check the performance values of the drywall systems;

[Knauf Technical Website](#)

[Document Center](#)

Application

Application should be done acc. to the applicable standards (TS 1475) and acc. to the Knauf Technical Brochures of the respective drywall system.

▶ 444 YAPI - 9274

▶ www.knauf.com.tr / www.teknik.knauf.com.tr

▶ teknik@knauf.com

Center: Knauf Moment Beştepe Office, Beştepe Mah. 32.Cadde No:1/212-218 06560 Beştepe-Yenimahalle / ANKARA Tel: 0312 297 0100 Faks: 0312 266 4506