


Dilatation Joint Profiles

Technical Data Sheet 12/2023



Dilatation Joint Profiles

Profile

Product Description

Expansion profiles used in drywall suspended ceiling systems

Storage

- Profiles are tied and packed on pallets.
- Direct contact with water should be avoided.
- Packages should be stored in flat, dry and clean areas.

Standards referred to

TS EN 14353

Fields of Application

Used in joints of plasterboard suspended ceiling systems

General Data

Description		Weight (kg/m)	Thickness (mm)	Length (mm)	Packaging (pcs.)	Material Number
Dilatation Joint Profiles	Z	0,38	1,2	3000	5	149197
	U	0,215			10	149196

System Performance Values

Performance values as sound insulation, fire resistance etc. may differ acc. to the drywall system to be applied. Please check the performance values of the drywall systems;

[Knauf Technical Website](#)
[Document Center](#)

Application

Application should be done acc. to the applicable standards and acc. to the Knauf Technical Brochures of the respective drywall system.

▶ 444 YAPI - 9274

▶ www.knauf.com.tr / www.teknik.knauf.com.tr

▶ teknik@knauf.com

Center: Knauf Moment Beştepe Office, Beştepe Mah. 32.Cadde No:1/212-218 06560 Beştepe-Yenimahalle
/ ANKARA Tel: 0312 297 0100 Faks: 0312 266 4506