


TC Channel Connector

Technical Data Sheet 12/2023



TC Channel Connector

Hanger element

Product Description

Components used for extending the TC Channels.

Storage

- Direct contact with water should be avoided.
- Packages should be stored in flat, dry and clean areas.

Standards referred to

-

Fields of Application

- Suspended Ceiling Systems

Properties

- Clean and easy installation

Technical Data

Description	Thickness (mm)	Weight (kg/pcs.)	Packaging Unit (pcs./pallet)	Standard	Material Number
TC Channel Connector - TC 60 / 27	0,4	0,03	100	-	711187
		0,055			65153
TC Channel Connector - TC 49 / 15 (Optimum)	0,5	0,03			147371

System Performance Values

Performance values as sound insulation, fire resistance etc. may differ acc. to the drywall system to be applied. Please check the performance values of the drywall systems;

[Knauf Technical Website](#)
[Document Center](#)

Application

Application should be done acc. to the applicable standards (TS 1475) and acc. to the Knauf Technical Brochures of the respective drywall system.

▶ 444 YAPI - 9274

▶ www.knauf.com.tr / www.teknik.knauf.com.tr

▶ teknik@knauf.com

Center: Knauf Moment Beştepe Office, Beştepe Mah. 32.Cadde No:1/212-218 06560 Beştepe-Yenimahalle
/ ANKARA Tel: 0312 297 0100 Faks: 0312 266 4506