



DECLARATION OF PERFORMANCE

No:253_Knauf_T24 PRO 40 Tali Taşıyıcı 0,40 mm 600_27.04.2023

- (1) Unique identification code of the product-type:
Knauf_T24 PRO 40 Tali Taşıyıcı 0,40 mm 600
- (2) Intended use/es:

Suspended ceiling substructure component for use internally in buildings

- (3) Manufacturer:

KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,
Beştepe Mah. 32. Cad. No:1/212-218 06560, Beştepe Yenimahalle Ankara Türkiye
Tel: +90 312 297 0100, Fax: +90 312 266 4214 ,www.knauf.com.tr
e-posta:knaufinsaatyapi@hs01.kep.tr
İzmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye

- (5) Systems/s of assessment and verification of constancy of performance of the construction product:

System 4

- (6a) Harmonized standard: **EN 13964:2014**


- (7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Reaction to fire – R2F	A1	EN 13964:2014
Load bearing capacity -Substructure -Tolerances and dimensions	400 N/mm ² Pass	EN 13964:2014
Resistance to fixings	NPD	EN 13964:2014
Durability	Corrosion Protection Class B	EN 13964:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER
(General Manager)
Ankara -27.04.2023


.....
(signature)



DECLARATION OF PERFORMANCE

No:253_Knauf_T24 L Köşebent 19x19 0,40 mm 3050_27.04.2023

(1) Unique identification code of the product-type:

Knauf_T24 L Köşebent 19x19 0,40 mm 3050

(2) Intended use/es:

Suspended ceiling substructure component for use internally in buildings

(3) Manufacturer:

KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,
Beştepe Mah. 32. Cad. No:1/212-218 06560, Beştepe Yenimahalle Ankara Türkiye
Tel: +90 312 297 0100, Fax: +90 312 266 4214 ,www.knauf.com.tr
e-posta:knaufinsaatyapi@hs01.kep.tr
İzmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye

(5) Systems/s of assessment and verification of constancy of performance of the construction product:

System 4

(6a) Harmonized standard: **EN 13964:2014**

(7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Reaction to fire – R2F	A1	EN 13964:2014
Load bearing capacity -Substructure -Tolerances and dimensions	400 N/mm ² Pass	EN 13964:2014
Resistance to fixings	NPD	EN 13964:2014
Durability	Corrosion Protection Class B	EN 13964:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER
(General Manager)
Ankara -27.04.2023

.....
(signature)





DECLARATION OF PERFORMANCE

No:253_Knauf_T24 Z Köşebent 0,50 mm 3050_27.04.2023

(1) Unique identification code of the product-type:

Knauf_T24 Z Köşebent 0,50 mm 3050

(2) Intended use/es:

Suspended ceiling substructure component for use internally in buildings

(3) Manufacturer:

KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,
Beştepe Mah. 32. Cad. No:1/212-218 06560, Beştepe Yenimahalle Ankara Türkiye
Tel: +90 312 297 0100, Fax: +90 312 266 4214 ,www.knauf.com.tr
e-posta:knaufinsaatyapi@hs01.kep.tr

İzmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye

(5) Systems/s of assessment and verification of constancy of performance of the construction product:

System 4

(6a) Harmonized standard: **EN 13964:2014**

(7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Reaction to fire – R2F	A1	EN 13964:2014
Load bearing capacity -Substructure -Tolerances and dimensions	400 N/mm ² Pass	EN 13964:2014
Resistance to fixings	NPD	EN 13964:2014
Durability	Corrosion Protection Class B	EN 13964:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER
(General Manager)
Ankara -27.04.2023

.....
(signature)

A



DECLARATION OF PERFORMANCE

No:253_Knauf_T24 PRO 30 0,30 mm 3600_27.04.2023

(1) Unique identification code of the product-type:

Knauf_T24 PRO 30 0,30 mm 3600

(2) Intended use/es:

Suspended ceiling substructure component for use internally in buildings

(3) Manufacturer:

KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,
Beştepe Mah. 32. Cad. No:1/212-218 06560, Beştepe Yenimahalle Ankara Türkiye
Tel: +90 312 297 0100, Fax: +90 312 266 4214 ,www.knauf.com.tr
e-posta:knaufinsaatyapi@hs01.kep.tr
İzmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye

(5) Systems/s of assessment and verification of constancy of performance of the construction product:

System 4

(6a) Harmonized standard: **EN 13964:2014**

(7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Reaction to fire – R2F	A1	EN 13964:2014
Load bearing capacity -Substructure -Tolerances and dimensions	400 N/mm ² Pass	EN 13964:2014
Resistance to fixings	NPD	EN 13964:2014
Durability	Corrosion Protection Class B	EN 13964:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER
(General Manager)
Ankara -27.04.2023

.....
(signature)



DECLARATION OF PERFORMANCE

No:253_Knauf_T24 PRO 30 Tali Taşıyıcı 0,30 mm 1200_27.04.2023

(1) Unique identification code of the product-type:

Knauf_T24 PRO 30 Tali Taşıyıcı 0,30 mm 1200

(2) Intended use/es:

Suspended ceiling substructure component for use internally in buildings

(3) Manufacturer:

KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,
Beştepe Mah. 32. Cad. No:1/212-218 06560, Beştepe Yenimahalle Ankara Türkiye
Tel: +90 312 297 0100, Fax: +90 312 266 4214 ,www.knauf.com.tr
e-posta:knaufinsaatyapi@hs01.kep.tr
İzmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye

(5) Systems/s of assessment and verification of constancy of performance of the construction product:

System 4

(6a) Harmonized standard: EN 13964:2014

(7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Reaction to fire – R2F	A1	EN 13964:2014
Load bearing capacity -Substructure -Tolerances and dimensions	400 N/mm ² Pass	EN 13964:2014
Resistance to fixings	NPD	EN 13964:2014
Durability	Corrosion Protection Class B	EN 13964:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER
(General Manager)
Ankara -27.04.2023

.....
(signature)

5



DECLARATION OF PERFORMANCE

No:253_Knauf_T24 PRO 30 Tali Taşıyıcı 0,30 mm 600_27.04.2023

(1) Unique identification code of the product-type:

Knauf_T24 PRO 30 Tali Taşıyıcı 0,30 mm 600

(2) Intended use/es:

Suspended ceiling substructure component for use internally in buildings

(3) Manufacturer:

KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,
Beştepe Mah. 32. Cad. No:1/212-218 06560, Beştepe Yenimahalle Ankara Türkiye
Tel: +90 312 297 0100, Fax: +90 312 266 4214 ,www.knauf.com.tr
e-posta:knaufinsaatyapi@hs01.kep.tr

İzmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye

(5) Systems/s of assessment and verification of constancy of performance of the construction product:

System 4

(6a) Harmonized standard: **EN 13964:2014**

(7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Reaction to fire – R2F	A1	EN 13964:2014
Load bearing capacity -Substructure -Tolerances and dimensions	400 N/mm ² Pass	EN 13964:2014
Resistance to fixings	NPD	EN 13964:2014
Durability	Corrosion Protection Class B	EN 13964:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER
(General Manager)
Ankara -27.04.2023

.....
(signature)





DECLARATION OF PERFORMANCE

No:253_Knauf_T24 PRO 40 Ana Taşıyıcı 3600_27.04.2023

- (1) Unique identification code of the product-type:
Knauf_T24 PRO 40 Ana Taşıyıcı 3600
- (2) Intended use/es:

Suspended ceiling substructure component for use internally in buildings

- (3) Manufacturer:

KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,
Beştepe Mah. 32. Cad. No:1/212-218 06560, Beştepe Yenimahalle Ankara Türkiye
Tel: +90 312 297 0100, Fax: +90 312 266 4214 ,www.knauf.com.tr
e-posta:knaufinsaatyapi@hs01.kep.tr
İzmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye

- (5) Systems/s of assessment and verification of constancy of performance of the construction product:

System 4

- (6a) Harmonized standard: **EN 13964:2014**

- (7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Reaction to fire – R2F	A1	EN 13964:2014
Load bearing capacity -Substructure -Tolerances and dimensions	400 N/mm ² Pass	EN 13964:2014
Resistance to fixings	NPD	EN 13964:2014
Durability	Corrosion Protection Class B	EN 13964:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER
(General Manager)
Ankara -27.04.2023

.....
(signature)

4



DECLARATION OF PERFORMANCE

No:253_Knauf_T24 PRO 40 Tali Taşıyıcı 0,40 mm 1200_27.04.2023

- (1) Unique identification code of the product-type:
Knauf_T24 PRO 40 Tali Taşıyıcı 0,40 mm 1200
- (2) Intended use/es:

Suspended ceiling substructure component for use internally in buildings

- (3) Manufacturer:

KNAUF İnşaat ve Yapı Elemanları Sanayi ve Ticaret A.Ş.,
Beştepe Mah. 32. Cad. No:1/212-218 06560, Beştepe Yenimahalle Ankara Türkiye
Tel: +90 312 297 0100, Fax: +90 312 266 4214 ,www.knauf.com.tr
e-posta:knaufinsaatyapi@hs01.kep.tr
Izmit Plant: Ovacık mah. Çuhane cad. No: 30 41140 Kullar Başiskele / Kocaeli / Türkiye

- (5) Systems/s of assessment and verification of constancy of performance of the construction product:

System 4

- (6a) Harmonized standard: **EN 13964:2014**

- (7) Declared performance/s:

Essential characteristics	Performance	Harmonized Standard
Reaction to fire – R2F	A1	EN 13964:2014
Load bearing capacity -Substructure -Tolerances and dimensions	400 N/mm ² Pass	EN 13964:2014
Resistance to fixings	NPD	EN 13964:2014
Durability	Corrosion Protection Class B	EN 13964:2014

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ali TÜRKER
(General Manager)
Ankara -27.04.2023

.....
(signature)