

AQUAPANEL® Reinforcing Mesh

Technical Data Sheet 12/2023



Aquapanel® Reinforcing Mesh

Reinforcing Mesh

Product Description

Aquapanel® reinforcing fiberglass mesh used with joint fillers and plasters at Aquapanel® interior and exterior applications.

Standards referred to

-

Fields of Application

- Aquapanel® indoor and outdoor systems

General Data

Description	Weight (g/m ²)	Packaging (m ² /roll)	Material Number
Aquapanel® Reinforcing Mesh	160	30	102584
	200		58546

Technical Data

Description	160 (g/m ²)	200 (g/m ²)
Mesh size (mm)	4x4	5x5
Initial tear strength (N / 5 cm)	Approx. 2200	Approx. 2500
Thickness (mm)	0,5	0,8
Width (cm)	100	100
Colour	Blue	Blue
Length (m)	50	50

System Performance Values

Performance values as sound insulation, fire resistance etc. may differ acc. to the drywall system to be applied. Please check the performance values of the drywall systems;

[Knauf Technical Website](#)

[Document Center](#)

Application

Application should be done acc. to the applicable standards (TS 1475) and acc. to the Knauf Technical Brochures of the respective drywall system.

▶ 444 YAPI - 9274

▶ www.knauf.com.tr / www.teknik.knauf.com.tr

▶ teknik@knauf.com

Center: Knauf Moment Beştepe Office, Beştepe Mah. 32.Cadde No:1/212-218 06560 Beştepe-Yenimahalle / ANKARA Tel: 0312 297 0100 Faks: 0312 266 4506