

Dowel with Wide Head Diameter and Steel Nail for Mineral Wools (ETICS)

Technical Data Sheet 12/2023



Dowel with Wide Head Diameter and Steel Nail for Mineral Wools (ETICS)

Dowel

Product Description

Dowel with steel nail is used for fixing mineral wool to exterior wall surfaces such as concrete, brick, pumice etc.

Standards referred to

-

Fields of Application

External thermal insulation systems

Genel Data

Description	Weight (kg/box)	Length (cm)	Packaging (pcs/box)	Material Number
Dowel with Wide Head Diameter and Steel Nail for Mineral Wools (ETICS)	6,90	11,5	200	466260
	7,85	13,5		466262
	8,15	15,5		466264

Technical Data

Description	Değer
Anchor depth (mm)	55
Boring depth (mm)	65
Boring diameter (mm)	8
Dowel head diameter (mm)	90

System Performance Values

Performance values as sound insulation, fire resistance etc. may differ acc. to the drywall system to be applied. Please check the performance values of the drywall systems;

[Knauf Technical Website](#)

[Document Center](#)

Application

Application should be done acc. to the applicable standards (TS 1475) and acc. to the Knauf Technical Brochures of the respective drywall system.

▶ 444 YAPI - 9274

▶ www.knauf.com.tr / www.teknik.knauf.com.tr

▶ teknik@knauf.com

Center: Knauf Moment Beştepe Office, Beştepe Mah. 32.Cadde No:1/212-218 06560 Beştepe-Yenimahalle / ANKARA Tel: 0312 297 0100 Faks: 0312 266 4506